

# Certificate of Constancy of Performance

This is to certify that:

Blauberg Ventilatoren GmbH  
Aidenbachstr. 52,  
Munich  
81379  
Germany

Holds Certificate Number:

2797 CPR 664983

In respect of:

## EN 12101-3:2015- Powered smoke and heat control ventilators

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the above construction product. This certificate attests that all the provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the above standard(s) under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product(s). This certificate was first issued on the date below and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods, nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

For and on behalf of BSI, a Notified Body for the above Regulation (Notified Body Number 2797):

Denelise L'Ecluse, Managing Director Assurance - Continental Europe

First Issued: 2017-01-30

Latest Issue: 2023-07-06



Page: 1 of 44

# Certificate of Constancy of Performance

No. 2797 CPR 664983

## EN 12101-3:2015 Product information:

<b>Centro-Jet</b>	Centro-Jet 50N-400/2	Centro-Jet 50N-4/8-400/2	Centro-Jet 85N-400/2
	Centro-Jet 85N-4/8-400/2	Centro-Jet 100N-4/8-400/2	Centro-Jet 100N-4-400/2
<b>Response Delay</b>	N/A		
<b>Resistance to Fire class</b>	F400 (400°C, 120mins)		
<b>Motor Rating</b>	H		
<b>BSRIA report: 59930/3</b>			

First Issued: 2017-01-30

Latest Issue: 2023-07-06

Page: 2 of 44

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.

# Certificate of Constancy of Performance

No. 2797 CPR 664983

## EN 12101-3:2015 Product information:

<b>Axis-Jet</b>	Axis-Jet-CI-315-2-U-400/2	Axis-Jet-CI-315M-2-U-400/2	Axis-Jet-CI-355-2-U-400/2	Axis-Jet-CI-355M-2-U-400/2
	Axis-Jet-CI-400-2-U-400/2	Axis-Jet-CI-400M-2-U-400/2	Axis-Jet-CI-450M-2-U-400/2	Axis-Jet-CI-500-2-U-400/2
	Axis-Jet-CI-315-2/4-U-400/2	Axis-Jet-CI-355-2/4-U-400/2	Axis-Jet-CI-355M-2/4-U-400/2	Axis-Jet-CI-400-2/4-U-400/2
	Axis-Jet-CI-400M-2/4-U-400/2	Axis-Jet-CI-450M-2/4-U-400/2	Axis-Jet-CI-500-2/4-U-400/2	Axis-Jet-CI-500M-2/4-U-400/2
<b>Response Delay</b>	N/A			
<b>Resistance to Fire class</b>	F400 (400 °C, 120mins)			
<b>Motor Rating</b>	H			
<b>BSRIA report: 60609/3</b>				

First Issued: 2017-01-30

Latest Issue: 2023-07-06

Page: 3 of 44

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.

# Certificate of Constancy of Performance

No. 2797 CPR 664983

## EN 12101-3:2015 Product information:

Axis-FP 400-1600 400°C/2h 400V~50 Hz (Standard Models)	Models			
	Axis-FP 400-4D/0.37-6/25/ST-U2-400/2	Axis-FP 450-4D/0.37-6/27/ST-U2-400/2	Axis-FP 500-4D/0.37-6/18/ST-U2-400/2	Axis-FP 500-2/4D/6/1.5-6/40/ST-U2-400/2
	Axis-FP 400-4D/0.37-6/30/ST-U2-400/2	Axis-FP 450-4D/0.37-6/32/ST-U2-400/2	Axis-FP 500-4D/0.37-6/23/ST-U2-400/2	Axis-FP 560-4D/0.37-8/13/ST-U2-400/2
	Axis-FP 400-4D/0.37-6/35/ST-U2-400/2	Axis-FP 450-4D/0.37-6/38/ST-U2-400/2	Axis-FP 500-4D/0.37-6/27/ST-U2-400/2	Axis-FP 560-4D/0.55-8/23/ST-U2-400/2
	Axis-FP 400-4D/0.37-6/40/ST-U2-400/2	Axis-FP 450-2D/0.75-6/10/ST-U2-400/2	Axis-FP 500-4D/0.55-6/39/ST-U2-400/2	Axis-FP 560-4D/0.75-8/29/ST-U2-400/2
	Axis-FP 400-2D/0.75-6/20/ST-U2-400/2	Axis-FP 450-2D/1.1-6/17/ST-U2-400/2	Axis-FP 500-2D/1.5-6/15/ST-U2-400/2	Axis-FP 560-4D/1.1-8/35/ST-U2-400/2
	Axis-FP 400-2D/1.1-6/29/ST-U2-400/2	Axis-FP 450-2D/1.5-6/24/ST-U2-400/2	Axis-FP 500-2D/2.2-6/21/ST-U2-400/2	Axis-FP 560-2D/3-8/14/ST-U2-400/2
	Axis-FP 400-2D/1.5-6/38/ST-U2-400/2	Axis-FP 450-2D/2.2-6/31/ST-U2-400/2	Axis-FP 500-2D/3-6/27/ST-U2-400/2	Axis-FP 560-2D/4-8/18/ST-U2-400/2
	Axis-FP 400-2D/2.2-6/40/ST-U2-400/2	Axis-FP 450-2D/3-6/38/ST-U2-400/2	Axis-FP 500-2D/4-6/32/ST-U2-400/2	Axis-FP 560-2D/5.5-8/25/ST-U2-400/2
	Axis-FP 400-2/4D/0.8/0.2-6/20/ST-U2-400/2	Axis-FP 450-2/4D/0.8/0.2-6/10/ST-U2-400/2	Axis-FP 500-2D/5.5-6/40/ST-U2-400/2	Axis-FP 560-2D/7.5-8/33/ST-U2-400/2
	Axis-FP 400-2/4D/1.1/0.25-6/28/ST-U2-400/2	Axis-FP 450-2/4D/1.1/0.25-6/16/ST-U2-400/2	Axis-FP 500-2/4D/1.5/0.37-6/11/ST-U2-400/2	Axis-FP 560-2/4D/3.1/0.8-8/14/ST-U2-400/2
	Axis-FP 400-2/4D/1.5/0.37-6/36/ST-U2-400/2	Axis-FP 450-2/4D/1.5/0.37-6/22/ST-U2-400/2	Axis-FP 500-2/4D/2.2/0.5-6/21/ST-U2-400/2	Axis-FP 560-2/4D/4.4/1.1-8/18/ST-U2-400/2
	Axis-FP 400-2/4D/2.2/0.5-6/40/ST-U2-400/2	Axis-FP 450-2/4D/2.2/0.5-6/31/ST-U2-400/2	Axis-FP 500-2/4D/3.1/0.8-6/27/ST-U2-400/2	Axis-FP 560-2/4D/6/1.5-8/25/ST-U2-400/2
	Axis-FP 450-4D/0.37-6/23/ST-U2-400/2	Axis-FP 450-2/4D/3.1/0.8-6/38/ST-U2-400/2	Axis-FP 500-2/4D/4.4/1.1-6/33/ST-U2-400/2	Axis-FP 560-2/4D/8/2-8/33/ST-U2-400/2

First Issued: 2017-01-30

Latest Issue: 2023-07-06

Page: 4 of 44

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.

# Certificate of Constancy of Performance

No. 2797 CPR 664983

## EN 12101-3:2015 Product information:

Axis-FP 400-1600 400°C/2h 400V~50 Hz (Standard Models)	Models			
	Axis-FP 630-4D/0.55-8/12/ST-U2-400/2	Axis-FP 630-2/4D/16/4-8/35/ST-U2-400/2	Axis-FP 710-6D/0.75-8/32/ST-U2-400/2	Axis-FP 710-4/6D/1.1/0.3-8/14/ST-U2-400/2
	Axis-FP 630-4D/0.75-8/18/ST-U2-400/2	Axis-FP 630-4/8D/0.6/0.15-8/12/ST-U2-400/2	Axis-FP 710-6D/1.1-8/35/ST-U2-400/2	Axis-FP 710-4/6D/1.5/0.37-8/18/ST-U2-400/2
	Axis-FP 630-4D/1.1-8/24/ST-U2-400/2	Axis-FP 630-4/8D/0.8/0.2-8/18/ST-U2-400/2	Axis-FP 710-4D/0.75-8/10/ST-U2-400/2	Axis-FP 710-4/6D/2.2/0.7-8/26/ST-U2-400/2
	Axis-FP 630-4D/1.5-8/30/ST-U2-400/2	Axis-FP 630-4/8D/1.2/0.3-8/24/ST-U2-400/2	Axis-FP 710-4D/1.1-8/14/ST-U2-400/2	Axis-FP 710-4/6D/3/1-8/35/ST-U2-400/2
	Axis-FP 630-4D/2.2-8/35/ST-U2-400/2	Axis-FP 630-4/8D/1.6/0.4-8/30/ST-U2-400/2	Axis-FP 710-4D/1.5-8/18/ST-U2-400/2	Axis-FP 800-6D/0.37-8/10/ST-U2-400/2
	Axis-FP 630-2D/5.5-8/15/ST-U2-400/2	Axis-FP 630-4/8D/2.2/0.55-8/35/ST-U2-400/2	Axis-FP 710-4D/2.2-8/26/ST-U2-400/2	Axis-FP 800-6D/0.55-8/15/ST-U2-400/2
	Axis-FP 630-2D/7.5-8/20/ST-U2-400/2	Axis-FP 630-4/6D/0.55/0.2-8/12/ST-U2-400/2	Axis-FP 710-4D/3-8/35/ST-U2-400/2	Axis-FP 800-6D/0.75-8/25/ST-U2-400/2
	Axis-FP 630-2D/9.2-8/24/ST-U2-400/2	Axis-FP 630-4/6D/0.75/0.25-8/18/ST-U2-400/2	Axis-FP 710-4/8D/0.8/0.2-8/10/ST-U2-400/2	Axis-FP 800-6D/1.1-8/30/ST-U2-400/2
	Axis-FP 630-2D/11-8/27/ST-U2-400/2	Axis-FP 630-4/6D/1.1/0.3-8/24/ST-U2-400/2	Axis-FP 710-4/8D/1.2/0.3-8/14/ST-U2-400/2	Axis-FP 800-6D/1.5-8/35/ST-U2-400/2
	Axis-FP 630-2D/18.5-8/35/ST-U2-400/2	Axis-FP 630-4/6D/1.5/0.37-8/30/ST-U2-400/2	Axis-FP 710-4/8D/1.6/0.4-8/18/ST-U2-400/2	Axis-FP 800-4D/1.5-8/10/ST-U2-400/2
	Axis-FP 630-2/4D/6/1.5-8/15/ST-U2-400/2	Axis-FP 630-4/6D/2.2/0.7-8/35/ST-U2-400/2	Axis-FP 710-4/8D/2.2/0.55-8/26/ST-U2-400/2	Axis-FP 800-4D/2.2-8/15/ST-U2-400/2
	Axis-FP 630-2/4D/8/2-8/20/ST-U2-400/2	Axis-FP 710-6D/0.37-8/18/ST-U2-400/2	Axis-FP 710-4/8D/2.8/0.7-8/33/ST-U2-400/2	Axis-FP 800-4D/3-8/21/ST-U2-400/2
Axis-FP 630-2/4D/12/3-8/27/ST-U2-400/2	Axis-FP 710-6D/0.55-8/24/ST-U2-400/2	Axis-FP 710-4/6D/0.75/0.25-8/10/ST-U2-400/2	Axis-FP 800-4D/4-8/26/ST-U2-400/2	

First Issued: 2017-01-30

Latest Issue: 2023-07-06

Page: 5 of 44

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.

# Certificate of Constancy of Performance

No. 2797 CPR 664983

## EN 12101-3:2015 Product information:

Axis-FP 400-1600 400°C/2h 400V~50 Hz (Standard Models)	Models			
	Axis-FP 800-4D/5.5-8/34/ST-U2-400/2	Axis-FP 900-6D/2.2-8/30/ST-U2-400/2	Axis-FP 900-4/6D/4.5/1.5-8/16/ST-U2-400/2	Axis-FP 1000-4/8D/5/1.3-8/14/ST-U2-400/2
	Axis-FP 800-4/8D/1.6/0.4-8/10/ST-U2-400/2	Axis-FP 900-6D/3-8/35/ST-U2-400/2	Axis-FP 900-4/6D/6/2.2-8/21/ST-U2-400/2	Axis-FP 1000-4/8D/7.2/1.8-8/18/ST-U2-400/2
	Axis-FP 800-4/8D/2.2/0.55-8/15/ST-U2-400/2	Axis-FP 900-4D/3-8/13/ST-U2-400/2	Axis-FP 900-4/6D/7.5/3.5-8/27/ST-U2-400/2	Axis-FP 1000-4/8D/11/3-8/26/ST-U2-400/2
	Axis-FP 800-4/8D/2.8/0.7-8/20/ST-U2-400/2	Axis-FP 900-4D/4-8/16/ST-U2-400/2	Axis-FP 900-4/6D/10/3.3-8/33/ST-U2-400/2	Axis-FP 1000-4/8D/14/3.5-8/31/ST-U2-400/2
	Axis-FP 800-4/8D/3.8/1-8/25/ST-U2-400/2	Axis-FP 900-4D/5.5-8/21/ST-U2-400/2	Axis-FP 1000-6D/1.5-8/16/ST-U2-400/2	Axis-FP 1000-4/6D/6/2.2-8/15/ST-U2-400/2
	Axis-FP 800-4/8D/5/1.3-8/33/ST-U2-400/2	Axis-FP 900-4D/7.5-8/28/ST-U2-400/2	Axis-FP 1000-6D/2.2-8/20/ST-U2-400/2	Axis-FP 1000-4/6D/7.5/3.5-8/18/ST-U2-400/2
	Axis-FP 800-4/6D/1.5/0.37-8/10/ST-U2-400/2	Axis-FP 900-4D/11-8/35/ST-U2-400/2	Axis-FP 1000-6D/3-8/25/ST-U2-400/2	Axis-FP 1000-4/6D/10/3.3-8/24/ST-U2-400/2
	Axis-FP 800-4/6D/2.2/0.7-8/15/ST-U2-400/2	Axis-FP 900-4/8D/2.8/0.7-8/12/ST-U2-400/2	Axis-FP 1000-6D/4-8/32/ST-U2-400/2	Axis-FP 1000-4/6D/14/4.5-8/31/ST-U2-400/2
	Axis-FP 800-4/6D/3/1-8/21/ST-U2-400/2	Axis-FP 900-4/8D/3.8/1-8/15/ST-U2-400/2	Axis-FP 1000-4D/5.5-8/15/ST-U2-400/2	Axis-FP 1120-6D/2.2-8/13/ST-U2-400/2
	Axis-FP 800-4/6D/4.5/1.5-8/28/ST-U2-400/2	Axis-FP 900-4/8D/5/1.3-8/20/ST-U2-400/2	Axis-FP 1000-4D/7.5-8/19/ST-U2-400/2	Axis-FP 1120-6D/3-8/17/ST-U2-400/2
	Axis-FP 900-6D/0.75-8/12/ST-U2-400/2	Axis-FP 900-4/8D/7.2/1.8-8/28/ST-U2-400/2	Axis-FP 1000-4D/9.2-8/22/ST-U2-400/2	Axis-FP 1120-6D/4-8/21/ST-U2-400/2
	Axis-FP 900-6D/1.1-8/17/ST-U2-400/2	Axis-FP 900-4/8D/11/3-8/35/ST-U2-400/2	Axis-FP 1000-4D/11-8/26/ST-U2-400/2	Axis-FP 1120-6D/5.5-8/27/ST-U2-400/2
	Axis-FP 900-6D/1.5-8/23/ST-U2-400/2	Axis-FP 900-4/6D/3/1-8/12/ST-U2-400/2	Axis-FP 1000-4D/15-8/33/ST-U2-400/2	Axis-FP 1120-6D/7.5-8/35/ST-U2-400/2

First Issued: 2017-01-30

Latest Issue: 2023-07-06

Page: 6 of 44

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.

# Certificate of Constancy of Performance

No. 2797 CPR 664983

## EN 12101-3:2015 Product information:

Axis-FP 400-1600 400°C/2h 400V~50 Hz (Standard Models)	Models			
	Axis-FP 1120-4D/7.5-8/12/ST-U2-400/2	Axis-FP 1120-4/6D/14/4.5-8/19/ST-U2-400/2	Axis-FP 1250-4/6D/16/6.5-8/10/ST-U2-400/2	Axis-FP 1400-4D/45-8/18/ST-U2-400/2
	Axis-FP 1120-4D/9.2-8/14/ST-U2-400/2	Axis-FP 1120-4/6D/16/6.5-8/23/ST-U2-400/2	Axis-FP 1250-4/6D/20/8.5-8/12/ST-U2-400/2	Axis-FP 1400-4D/55-8/22/ST-U2-400/2
	Axis-FP 1120-4D/11-8/17/ST-U2-400/2	Axis-FP 1120-4/6D/20/8.5-8/27/ST-U2-400/2	Axis-FP 1250-4/6D/26/9-8/16/ST-U2-400/2	Axis-FP 1400-4/8D/28/6.5-8/12/ST-U2-400/2
	Axis-FP 1120-4D/15-8/21/ST-U2-400/2	Axis-FP 1250-6D/5.5-8/12/ST-U2-400/2	Axis-FP 1400-8D/4-8/14/ST-U2-400/2	Axis-FP 1400-4/8D/37/9.2-8/15/ST-U2-400/2
	Axis-FP 1120-4D/18.5-8/26/ST-U2-400/2	Axis-FP 1250-6D/7.5-8/17/ST-U2-400/2	Axis-FP 1400-8D/5.5-8/20/ST-U2-400/2	Axis-FP 1400-4/8D/44/11-8/17/ST-U2-400/2
	Axis-FP 1120-4D/22-8/30/ST-U2-400/2	Axis-FP 1250-6D/11-8/23/ST-U2-400/2	Axis-FP 1400-8D/7.5-8/25/ST-U2-400/2	Axis-FP 1400-4/8D/55/14.7-8/22/ST-U2-400/2
	Axis-FP 1120-4/8D/7.2/1.8-8/11/ST-U2-400/2	Axis-FP 1250-6D/15-8/30/ST-U2-400/2	Axis-FP 1400-8D/11-8/32/ST-U2-400/2	Axis-FP 1400-4/6D/26/9-8/10/ST-U2-400/2
	Axis-FP 1120-4/8D/11/3-8/14/ST-U2-400/2	Axis-FP 1250-4D/18.5-8/11/ST-U2-400/2	Axis-FP 1400-6D/11-8/15/ST-U2-400/2	Axis-FP 1400-4/6D/34/12-8/13/ST-U2-400/2
	Axis-FP 1120-4/8D/14/3.5-8/19/ST-U2-400/2	Axis-FP 1250-4D/22-8/14/ST-U2-400/2	Axis-FP 1400-6D/15-8/21/ST-U2-400/2	Axis-FP 1400-4/6D/40/14-8/16/ST-U2-400/2
	Axis-FP 1120-4/8D/17/4.3-8/24/ST-U2-400/2	Axis-FP 1250-4D/30-8/19/ST-U2-400/2	Axis-FP 1400-6D/18.5-8/25/ST-U2-400/2	Axis-FP 1400-4/6D/50/18-8/20/ST-U2-400/2
	Axis-FP 1120-4/8D/20/5-8/27/ST-U2-400/2	Axis-FP 1250-4/8D/17/4.3-8/10/ST-U2-400/2	Axis-FP 1400-6D/22-8/29/ST-U2-400/2	Axis-FP 1600-8D/5.5-8/10/ST-U2-400/2
	Axis-FP 1120-4/6D/7.5/3.5-8/11/ST-U2-400/2	Axis-FP 1250-4/8D/20/5-8/12/ST-U2-400/2	Axis-FP 1400-4D/30-8/12/ST-U2-400/2	Axis-FP 1600-8D/7.5-8/15/ST-U2-400/2
Axis-FP 1120-4/6D/10/3.3-8/15/ST-U2-400/2	Axis-FP 1250-4/8D/28/6.5-8/17/ST-U2-400/2	Axis-FP 1400-4D/37-8/15/ST-U2-400/2	Axis-FP 1600-8D/11-8/20/ST-U2-400/2	

First Issued: 2017-01-30

Latest Issue: 2023-07-06

Page: 7 of 44

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

# Certificate of Constancy of Performance

No. 2797 CPR 664983

## EN 12101-3:2015 Product information:

	<b>Models</b>
<b>Axis-FP 400-1600 400°C/2h 400V~50Hz (Standard Models)</b>	Axis-FP 1600-8D/15-8/27/ST-U2-400/2
	Axis-FP 1600-6D/18.5-8/14/ST-U2-400/2
	Axis-FP 1600-6D/22-8/17/ST-U2-400/2
	Axis-FP 1600-6D/30-8/22/ST-U2-400/2
	Axis-FP 1600-6D/37-8/27/ST-U2-400/2
<b>Response Delay</b>	N/A
<b>Resistance to Fire class</b>	F400 (Tested to 400°C, 120mins).
<b>Motor Rating</b>	H
<b>Ancillaries</b>	Ancillaries include silencers and outlet vanes

First Issued: 2017-01-30

Latest Issue: 2023-07-06

Page: 8 of 44

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.



# Certificate of Constancy of Performance

No. 2797 CPR 664983

## EN 12101-3:2015 Product information:

Axis-FP 400-1600 400°C/2h 400V~50 Hz (short models)	Models			
	Axis-FP 400K-4D/0.37-6/25/ST-U2-400/2	Axis-FP 450K-4D/0.37-6/27/ST-U2-400/2	Axis-FP 500K-4D/0.37-6/18/ST-U2-400/2	Axis-FP 500K-2/4D/6/1.5-6/40/ST-U2-400/2
	Axis-FP 400K-4D/0.37-6/30/ST-U2-400/2	Axis-FP 450K-4D/0.37-6/32/ST-U2-400/2	Axis-FP 500K-4D/0.37-6/23/ST-U2-400/2	Axis-FP 560K-4D/0.37-8/13/ST-U2-400/2
	Axis-FP 400K-4D/0.37-6/35/ST-U2-400/2	Axis-FP 450K-4D/0.37-6/38/ST-U2-400/2	Axis-FP 500K-4D/0.37-6/27/ST-U2-400/2	Axis-FP 560K-4D/0.55-8/23/ST-U2-400/2
	Axis-FP 400K-4D/0.37-6/40/ST-U2-400/2	Axis-FP 450K-2D/0.75-6/10/ST-U2-400/2	Axis-FP 500K-4D/0.55-6/39/ST-U2-400/2	Axis-FP 560K-4D/0.75-8/29/ST-U2-400/2
	Axis-FP 400K-2D/0.75-6/20/ST-U2-400/2	Axis-FP 450K-2D/1.1-6/17/ST-U2-400/2	Axis-FP 500K-2D/1.5-6/15/ST-U2-400/2	Axis-FP 560K-4D/1.1-8/35/ST-U2-400/2
	Axis-FP 400K-2D/1.1-6/29/ST-U2-400/2	Axis-FP 450K-2D/1.5-6/24/ST-U2-400/2	Axis-FP 500K-2D/2.2-6/21/ST-U2-400/2	Axis-FP 560K-2D/3-8/14/ST-U2-400/2
	Axis-FP 400K-2D/1.5-6/38/ST-U2-400/2	Axis-FP 450K-2D/2.2-6/31/ST-U2-400/2	Axis-FP 500K-2D/3-6/27/ST-U2-400/2	Axis-FP 560K-2D/4-8/18/ST-U2-400/2
	Axis-FP 400K-2D/2.2-6/40/ST-U2-400/2	Axis-FP 450K-2D/3-6/38/ST-U2-400/2	Axis-FP 500K-2D/4-6/32/ST-U2-400/2	Axis-FP 560K-2D/5.5-8/25/ST-U2-400/2
	Axis-FP 400K-2/4D/0.8/0.2-6/20/ST-U2-400/2	Axis-FP 450K-2/4D/0.8/0.2-6/10/ST-U2-400/2	Axis-FP 500K-2D/5.5-6/40/ST-U2-400/2	Axis-FP 560K-2D/7.5-8/33/ST-U2-400/2
	Axis-FP 400K-2/4D/1.1/0.25-6/28/ST-U2-400/2	Axis-FP 450K-2/4D/1.1/0.25-6/16/ST-U2-400/2	Axis-FP 500K-2/4D/1.5/0.37-6/11/ST-U2-400/2	Axis-FP 560K-2/4D/3.1/0.8-8/14/ST-U2-400/2
	Axis-FP 400K-2/4D/1.5/0.37-6/36/ST-U2-400/2	Axis-FP 450K-2/4D/1.5/0.37-6/22/ST-U2-400/2	Axis-FP 500K-2/4D/2.2/0.5-6/21/ST-U2-400/2	Axis-FP 560K-2/4D/4.4/1.1-8/18/ST-U2-400/2
	Axis-FP 400K-2/4D/2.2/0.5-6/40/ST-U2-400/2	Axis-FP 450K-2/4D/2.2/0.5-6/31/ST-U2-400/2	Axis-FP 500K-2/4D/3.1/0.8-6/27/ST-U2-400/2	Axis-FP 560K-2/4D/6/1.5-8/25/ST-U2-400/2
Axis-FP 450K-4D/0.37-6/23/ST-U2-400/2	Axis-FP 450K-2/4D/3.1/0.8-6/38/ST-U2-400/2	Axis-FP 500K-2/4D/4.4/1.1-6/33/ST-U2-400/2	Axis-FP 560K-2/4D/8/2-8/33/ST-U2-400/2	

First Issued: 2017-01-30

Latest Issue: 2023-07-06

Page: 9 of 44

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.

# Certificate of Constancy of Performance

No. 2797 CPR 664983

## EN 12101-3:2015 Product information:

Axis-FP 400-1600 400°C/2h 400V~50 Hz (short models)	Models			
	Axis-FP 630K-4D/0.55-8/12/ST-U2-400/2	Axis-FP 630K-2/4D/16/4-8/35/ST-U2-400/2	Axis-FP 710K-6D/0.75-8/32/ST-U2-400/2	Axis-FP 710K-4/6D/1.1/0.3-8/14/ST-U2-400/2
	Axis-FP 630K-4D/0.75-8/18/ST-U2-400/2	Axis-FP 630K-4/8D/0.6/0.15-8/12/ST-U2-400/2	Axis-FP 710K-6D/1.1-8/35/ST-U2-400/2	Axis-FP 710K-4/6D/1.5/0.37-8/18/ST-U2-400/2
	Axis-FP 630K-4D/1.1-8/24/ST-U2-400/2	Axis-FP 630K-4/8D/0.8/0.2-8/18/ST-U2-400/2	Axis-FP 710K-4D/0.75-8/10/ST-U2-400/2	Axis-FP 710K-4/6D/2.2/0.7-8/26/ST-U2-400/2
	Axis-FP 630K-4D/1.5-8/30/ST-U2-400/2	Axis-FP 630K-4/8D/1.2/0.3-8/24/ST-U2-400/2	Axis-FP 710K-4D/1.1-8/14/ST-U2-400/2	Axis-FP 710K-4/6D/3/1-8/35/ST-U2-400/2
	Axis-FP 630K-4D/2.2-8/35/ST-U2-400/2	Axis-FP 630K-4/8D/1.6/0.4-8/30/ST-U2-400/2	Axis-FP 710K-4D/1.5-8/18/ST-U2-400/2	Axis-FP 800K-6D/0.37-8/10/ST-U2-400/2
	Axis-FP 630K-2D/5.5-8/15/ST-U2-400/2	Axis-FP 630K-4/8D/2.2/0.55-8/35/ST-U2-400/2	Axis-FP 710K-4D/2.2-8/26/ST-U2-400/2	Axis-FP 800K-6D/0.55-8/15/ST-U2-400/2
	Axis-FP 630K-2D/7.5-8/20/ST-U2-400/2	Axis-FP 630K-4/6D/0.55/0.2-8/12/ST-U2-400/2	Axis-FP 710K-4D/3-8/35/ST-U2-400/2	Axis-FP 800K-6D/0.75-8/25/ST-U2-400/2
	Axis-FP 630K-2D/9.2-8/24/ST-U2-400/2	Axis-FP 630K-4/6D/0.75/0.25-8/18/ST-U2-400/2	Axis-FP 710K-4/8D/0.8/0.2-8/10/ST-U2-400/2	Axis-FP 800K-6D/1.1-8/30/ST-U2-400/2
	Axis-FP 630K-2D/11-8/27/ST-U2-400/2	Axis-FP 630K-4/6D/1.1/0.3-8/24/ST-U2-400/2	Axis-FP 710K-4/8D/1.2/0.3-8/14/ST-U2-400/2	Axis-FP 800K-6D/1.5-8/35/ST-U2-400/2
	Axis-FP 630K-2D/18.5-8/35/ST-U2-400/2	Axis-FP 630K-4/6D/1.5/0.37-8/30/ST-U2-400/2	Axis-FP 710K-4/8D/1.6/0.4-8/18/ST-U2-400/2	Axis-FP 800K-4D/1.5-8/10/ST-U2-400/2
	Axis-FP 630K-2/4D/6/1.5-8/15/ST-U2-400/2	Axis-FP 630K-4/6D/2.2/0.7-8/35/ST-U2-400/2	Axis-FP 710K-4/8D/2.2/0.55-8/26/ST-U2-400/2	Axis-FP 800K-4D/2.2-8/15/ST-U2-400/2
	Axis-FP 630K-2/4D/8/2-8/20/ST-U2-400/2	Axis-FP 710K-6D/0.37-8/18/ST-U2-400/2	Axis-FP 710K-4/8D/2.8/0.7-8/33/ST-U2-400/2	Axis-FP 800K-4D/3-8/21/ST-U2-400/2
Axis-FP 630K-2/4D/12/3-8/27/ST-U2-400/2	Axis-FP 710K-6D/0.55-8/24/ST-U2-400/2	Axis-FP 710K-4/6D/0.75/0.25-8/10/ST-U2-400/2	Axis-FP 800K-4D/4-8/26/ST-U2-400/2	

First Issued: 2017-01-30

Latest Issue: 2023-07-06

Page: 10 of 44

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.

# Certificate of Constancy of Performance

No. 2797 CPR 664983

## EN 12101-3:2015 Product information:

Axis-FP 400-1600 400°C/2h 400V~50 Hz (short models)	Models			
	Axis-FP 800K-4D/5.5-8/34/ST-U2-400/2	Axis-FP 900K-6D/2.2-8/30/ST-U2-400/2	Axis-FP 900K-4/6D/4.5/1.5-8/16/ST-U2-400/2	Axis-FP 1000K-4/8D/5/1.3-8/14/ST-U2-400/2
	Axis-FP 800K-4/8D/1.6/0.4-8/10/ST-U2-400/2	Axis-FP 900K-6D/3-8/35/ST-U2-400/2	Axis-FP 900K-4/6D/6/2.2-8/21/ST-U2-400/2	Axis-FP 1000K-4/8D/7.2/1.8-8/18/ST-U2-400/2
	Axis-FP 800K-4/8D/2.2/0.55-8/15/ST-U2-400/2	Axis-FP 900K-4D/3-8/13/ST-U2-400/2	Axis-FP 900K-4/6D/7.5/3.5-8/27/ST-U2-400/2	Axis-FP 1000K-4/8D/11/3-8/26/ST-U2-400/2
	Axis-FP 800K-4/8D/2.8/0.7-8/20/ST-U2-400/2	Axis-FP 900K-4D/4-8/16/ST-U2-400/2	Axis-FP 900K-4/6D/10/3.3-8/33/ST-U2-400/2	Axis-FP 1000K-4/8D/14/3.5-8/31/ST-U2-400/2
	Axis-FP 800K-4/8D/3.8/1-8/25/ST-U2-400/2	Axis-FP 900K-4D/5.5-8/21/ST-U2-400/2	Axis-FP 1000K-6D/1.5-8/16/ST-U2-400/2	Axis-FP 1000K-4/6D/6/2.2-8/15/ST-U2-400/2
	Axis-FP 800K-4/8D/5/1.3-8/33/ST-U2-400/2	Axis-FP 900K-4D/7.5-8/28/ST-U2-400/2	Axis-FP 1000K-6D/2.2-8/20/ST-U2-400/2	Axis-FP 1000K-4/6D/7.5/3.5-8/18/ST-U2-400/2
	Axis-FP 800K-4/6D/1.5/0.37-8/10/ST-U2-400/2	Axis-FP 900K-4D/11-8/35/ST-U2-400/2	Axis-FP 1000K-6D/3-8/25/ST-U2-400/2	Axis-FP 1000K-4/6D/10/3.3-8/24/ST-U2-400/2
	Axis-FP 800K-4/6D/2.2/0.7-8/15/ST-U2-400/2	Axis-FP 900K-4/8D/2.8/0.7-8/12/ST-U2-400/2	Axis-FP 1000K-6D/4-8/32/ST-U2-400/2	Axis-FP 1000K-4/6D/14/4.5-8/31/ST-U2-400/2
	Axis-FP 800K-4/6D/3/1-8/21/ST-U2-400/2	Axis-FP 900K-4/8D/3.8/1-8/15/ST-U2-400/2	Axis-FP 1000K-4D/5.5-8/15/ST-U2-400/2	Axis-FP 1120K-6D/2.2-8/13/ST-U2-400/2
	Axis-FP 800K-4/6D/4.5/1.5-8/28/ST-U2-400/2	Axis-FP 900K-4/8D/5/1.3-8/20/ST-U2-400/2	Axis-FP 1000K-4D/7.5-8/19/ST-U2-400/2	Axis-FP 1120K-6D/3-8/17/ST-U2-400/2
	Axis-FP 900K-6D/0.75-8/12/ST-U2-400/2	Axis-FP 900K-4/8D/7.2/1.8-8/28/ST-U2-400/2	Axis-FP 1000K-4D/9.2-8/22/ST-U2-400/2	Axis-FP 1120K-6D/4-8/21/ST-U2-400/2
	Axis-FP 900K-6D/1.1-8/17/ST-U2-400/2	Axis-FP 900K-4/8D/11/3-8/35/ST-U2-400/2	Axis-FP 1000K-4D/11-8/26/ST-U2-400/2	Axis-FP 1120K-6D/5.5-8/27/ST-U2-400/2
Axis-FP 900K-6D/1.5-8/23/ST-U2-400/2	Axis-FP 900K-4/6D/3/1-8/12/ST-U2-400/2	Axis-FP 1000K-4D/15-8/33/ST-U2-400/2	Axis-FP 1120K-6D/7.5-8/35/ST-U2-400/2	

First Issued: 2017-01-30

Latest Issue: 2023-07-06

Page: 11 of 44

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.

# Certificate of Constancy of Performance

No. 2797 CPR 664983

## EN 12101-3:2015 Product information:

<b>Axis-FP 400-1600 400°C/2h 400V~50 Hz (short models)</b>	<b>Models</b>			
	Axis-FP 1120K-4D/7.5-8/12/ST-U2-400/2	Axis-FP 1120K-4/6D/14/4.5-8/19/ST-U2-400/2	Axis-FP 1250K-4/6D/16/6.5-8/10/ST-U2-400/2	Axis-FP 1400K-4D/45-8/18/ST-U2-400/2
	Axis-FP 1120K-4D/9.2-8/14/ST-U2-400/2	Axis-FP 1120K-4/6D/16/6.5-8/23/ST-U2-400/2	Axis-FP 1250K-4/6D/20/8.5-8/12/ST-U2-400/2	Axis-FP 1400K-4D/55-8/22/ST-U2-400/2
	Axis-FP 1120K-4D/11-8/17/ST-U2-400/2	Axis-FP 1120K-4/6D/20/8.5-8/27/ST-U2-400/2	Axis-FP 1250K-4/6D/26/9-8/16/ST-U2-400/2	Axis-FP 1400K-4/8D/28/6.5-8/12/ST-U2-400/2
	Axis-FP 1120K-4D/15-8/21/ST-U2-400/2	Axis-FP 1250K-6D/5.5-8/12/ST-U2-400/2	Axis-FP 1400K-8D/4-8/14/ST-U2-400/2	Axis-FP 1400K-4/8D/37/9.2-8/15/ST-U2-400/2
	Axis-FP 1120K-4D/18.5-8/26/ST-U2-400/2	Axis-FP 1250K-6D/7.5-8/17/ST-U2-400/2	Axis-FP 1400K-8D/5.5-8/20/ST-U2-400/2	Axis-FP 1400K-4/8D/44/11-8/17/ST-U2-400/2
	Axis-FP 1120K-4D/22-8/30/ST-U2-400/2	Axis-FP 1250K-6D/11-8/23/ST-U2-400/2	Axis-FP 1400K-8D/7.5-8/25/ST-U2-400/2	Axis-FP 1400K-4/8D/55/14.7-8/22/ST-U2-400/2
	Axis-FP 1120K-4/8D/7.2/1.8-8/11/ST-U2-400/2	Axis-FP 1250K-6D/15-8/30/ST-U2-400/2	Axis-FP 1400K-8D/11-8/32/ST-U2-400/2	Axis-FP 1400K-4/6D/26/9-8/10/ST-U2-400/2
	Axis-FP 1120K-4/8D/11/3-8/14/ST-U2-400/2	Axis-FP 1250K-4D/18.5-8/11/ST-U2-400/2	Axis-FP 1400K-6D/11-8/15/ST-U2-400/2	Axis-FP 1400K-4/6D/34/12-8/13/ST-U2-400/2
	Axis-FP 1120K-4/8D/14/3.5-8/19/ST-U2-400/2	Axis-FP 1250K-4D/22-8/14/ST-U2-400/2	Axis-FP 1400K-6D/15-8/21/ST-U2-400/2	Axis-FP 1400K-4/6D/40/14-8/16/ST-U2-400/2
	Axis-FP 1120K-4/8D/17/4.3-8/24/ST-U2-400/2	Axis-FP 1250K-4D/30-8/19/ST-U2-400/2	Axis-FP 1400K-6D/18.5-8/25/ST-U2-400/2	Axis-FP 1400K-4/6D/50/18-8/20/ST-U2-400/2
	Axis-FP 1120K-4/8D/20/5-8/27/ST-U2-400/2	Axis-FP 1250K-4/8D/17/4.3-8/10/ST-U2-400/2	Axis-FP 1400K-6D/22-8/29/ST-U2-400/2	Axis-FP 1600K-8D/5.5-8/10/ST-U2-400/2
	Axis-FP 1120K-4/6D/7.5/3.5-8/11/ST-U2-400/2	Axis-FP 1250K-4/8D/20/5-8/12/ST-U2-400/2	Axis-FP 1400K-4D/30-8/12/ST-U2-400/2	Axis-FP 1600K-8D/7.5-8/15/ST-U2-400/2
Axis-FP 1120K-4/6D/10/3.3-8/15/ST-U2-400/2	Axis-FP 1250K-4/8D/28/6.5-8/17/ST-U2-400/2	Axis-FP 1400K-4D/37-8/15/ST-U2-400/2	Axis-FP 1600K-8D/11-8/20/ST-U2-400/2	

First Issued: 2017-01-30

Latest Issue: 2023-07-06

Page: 12 of 44

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.

To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

# Certificate of Constancy of Performance

No. 2797 CPR 664983

## EN 12101-3:2015 Product information:

	<b>Models</b>
<b>Axis-FP 400-1600 400°C/2h 400V~50Hz (short models)</b>	Axis-FP 1600K-8D/15-8/27/ST-U2-400/2
	Axis-FP 1600K-6D/18.5-8/14/ST-U2-400/2
	Axis-FP 1600K-6D/22-8/17/ST-U2-400/2
	Axis-FP 1600K-6D/30-8/22/ST-U2-400/2
	Axis-FP 1600K-6D/37-8/27/ST-U2-400/2
<b>Response Delay</b>	N/A
<b>Resistance to Fire class</b>	F400 (Tested to 400°C, 120mins).
<b>Motor Rating</b>	H
<b>Ancillaries</b>	Ancillaries include silencers and outlet vanes

First Issued: 2017-01-30

Latest Issue: 2023-07-06

Page: 13 of 44

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.

# Certificate of Constancy of Performance

No. 2797 CPR 664983

## EN 12101-3:2015 Product information:

<b>Axis-FP 300°C/2h 400V~ 50Hz (Standard Models)</b>	<b>Models</b>			
	Axis-FP 400-4D/0.37-6/30/AL-U1-300/2	Axis-FP 450-4D/0.37-6/25/AL-U1-300/2	Axis-FP 450-2/4D/3.1/0.8-8/40/AL-U1-300/2	Axis-FP 500-2/4D/2.2/0.5-6/35/AL-U1-300/2
	Axis-FP 400-4D/0.37-6/35/AL-U1-300/2	Axis-FP 450-4D/0.37-6/30/AL-U1-300/2	Axis-FP 450-2/4D/4.4/1.1-8/45/AL-U1-300/2	Axis-FP 500-2/4D/3.1/0.8-8/35/AL-U1-300/2
	Axis-FP 400-4D/0.37-6/40/AL-U1-300/2	Axis-FP 450-4D/0.37-6/35/AL-U1-300/2	Axis-FP 500-4D/0.37-6/25/AL-U1-300/2	Axis-FP 500-2/4D/4.4/1.1-8/40/AL-U1-300/2
	Axis-FP 400-4D/0.37-6/45/AL-U1-300/2	Axis-FP 450-4D/0.37-6/40/AL-U1-300/2	Axis-FP 500-4D/0.37-6/30/AL-U1-300/2	Axis-FP 500-2/4D/6/1.5-8/45/AL-U1-300/2
	Axis-FP 400-4D/0.37-8/45/AL-U1-300/2	Axis-FP 450-4D/0.37-8/40/AL-U1-300/2	Axis-FP 500-4D/0.37-6/35/AL-U1-300/2	Axis-FP 560-4D/0.37-6/25/AL-U1-300/2
	Axis-FP 400-2D/0.55-6/25/AL-U1-300/2	Axis-FP 450-4D/0.55-8/45/AL-U1-300/2	Axis-FP 500-4D/0.37-6/40/AL-U1-300/2	Axis-FP 560-4D/0.37-6/30/AL-U1-300/2
	Axis-FP 400-2D/0.75-6/30/AL-U1-300/2	Axis-FP 450-2D/0.75-6/25/AL-U1-300/2	Axis-FP 500-4D/0.55-6/45/AL-U1-300/2	Axis-FP 560-4D/0.37-6/35/AL-U1-300/2
	Axis-FP 400-2D/1.1-6/35/AL-U1-300/2	Axis-FP 450-2D/1.1-6/30/AL-U1-300/2	Axis-FP 500-4D/0.55-8/45/AL-U1-300/2	Axis-FP 560-4D/0.55-6/40/AL-U1-300/2
	Axis-FP 400-2D/1.5-6/40/AL-U1-300/2	Axis-FP 450-2D/1.5-6/35/AL-U1-300/2	Axis-FP 500-2D/1.1-6/25/AL-U1-300/2	Axis-FP 560-4D/0.55-6/45/AL-U1-300/2
	Axis-FP 400-2D/1.5-6/45/AL-U1-300/2	Axis-FP 450-2D/2.2-6/40/AL-U1-300/2	Axis-FP 500-2D/1.5-6/30/AL-U1-300/2	Axis-FP 560-4D/0.75-8/45/AL-U1-300/2
	Axis-FP 400-2D/2.2-8/45/AL-U1-300/2	Axis-FP 450-2D/3-8/40/AL-U1-300/2	Axis-FP 500-2D/2.2-6/35/AL-U1-300/2	Axis-FP 560-2D/1.1-6/25/AL-U1-300/2
	Axis-FP 400-2/4D/0.8/0.2-6/30/AL-U1-300/2	Axis-FP 450-2D/4-8/45/AL-U1-300/2	Axis-FP 500-2D/3-8/35/AL-U1-300/2	Axis-FP 560-2D/1.5-6/30/AL-U1-300/2
	Axis-FP 400-2/4D/1.1/0.25-6/35/AL-U1-300/2	Axis-FP 450-2/4D/0.8/0.2-6/25/AL-U1-300/2	Axis-FP 500-2D/4-8/40/AL-U1-300/2	Axis-FP 560-2D/2.2-8/30/AL-U1-300/2
	Axis-FP 400-2/4D/1.5/0.37-6/40/AL-U1-300/2	Axis-FP 450-2/4D/1.1/0.25-6/30/AL-U1-300/2	Axis-FP 500-2D/5.5-8/45/AL-U1-300/2	Axis-FP 560-2D/4-8/35/AL-U1-300/2
	Axis-FP 400-2/4D/1.5/0.37-6/45/AL-U1-300/2	Axis-FP 450-2/4D/1.5/0.37-6/35/AL-U1-300/2	Axis-FP 500-2/4D/1.1/0.25-6/25/AL-U1-300/2	Axis-FP 560-2D/5.5-8/40/AL-U1-300/2
	Axis-FP 400-2/4D/2.2/0.5-8/45/AL-U1-300/2	Axis-FP 450-2/4D/2.2/0.5-6/40/AL-U1-300/2	Axis-FP 500-2/4D/1.5/0.37-6/30/AL-U1-300/2	Axis-FP 560-2D/7.5-8/45/AL-U1-300/2

First Issued: 2017-01-30

Latest Issue: 2023-07-06

Page: 14 of 44

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

# Certificate of Constancy of Performance

No. 2797 CPR 664983

## EN 12101-3:2015 Product information:

<b>Axis-FP 300°C/2h 400V~ 50Hz (Standard Models)</b>	<b>Models</b>			
	Axis-FP 560-2/4D/1.1/0.25-6/25/AL-U1-300/2	Axis-FP 630-2D/5.5-7/35/AL-U1-300/2	Axis-FP 630-4/6D/1.1/0.3-8/40/AL-U1-300/2	Axis-FP 710-6D/0.55-6/35/AL-U1-300/2
	Axis-FP 560-2/4D/1.5/0.37-6/30/AL-U1-300/2	Axis-FP 630-2D/5.5-7/37.5/AL-U1-300/2	Axis-FP 630-4/6D/1.1/0.3-6/32.5/AL-U1-300/2	Axis-FP 710-6D/0.75-6/40/AL-U1-300/2
	Axis-FP 560-2/4D/2.2/0.5-8/30/AL-U1-300/2	Axis-FP 630-2D/7.5-7/41.5/AL-U1-300/2	Axis-FP 630-4/6D/1.5/0.37-6/37.5/AL-U1-300/2	Axis-FP 710-6D/1.1-6/45/AL-U1-300/2
	Axis-FP 560-2/4D/4.4/1.1-8/35/AL-U1-300/2	Axis-FP 630-2D/11-8/41.5/AL-U1-300/2	Axis-FP 630-4/6D/2.2/0.7-6/45/AL-U1-300/2	Axis-FP 710-4D/0.75-6/20/AL-U1-300/2
	Axis-FP 560-2/4D/6/1.5-8/40/AL-U1-300/2	Axis-FP 630-2D/15-8/46.5/AL-U1-300/2	Axis-FP 630-2/4D/2.2/0.5-6/25/AL-U1-300/2	Axis-FP 710-4D/1.1-6/25/AL-U1-300/2
	Axis-FP 560-2/4D/8/2-8/45/AL-U1-300/2	Axis-FP 630-2D/15-9/48.5/AL-U1-300/2	Axis-FP 630-2/4D/3.1/0.8-6/30/AL-U1-300/2	Axis-FP 710-4D/1.5-6/30/AL-U1-300/2
	Axis-FP 630-4D/0.37-8/25/AL-U1-300/2	Axis-FP 630-4/8D/0.6/0.15-8/25/AL-U1-300/2	Axis-FP 630-2/4D/4.4/1.1-7/32.5/AL-U1-300/2	Axis-FP 710-4D/2.2-6/35/AL-U1-300/2
	Axis-FP 630-4D/0.55-8/30/AL-U1-300/2	Axis-FP 630-4/8D/0.6/0.15-8/30/AL-U1-300/2	Axis-FP 630-2/4D/6/1.5-7/35/AL-U1-300/2	Axis-FP 710-4D/2.2-6/40/AL-U1-300/2
	Axis-FP 630-4D/0.75-8/35/AL-U1-300/2	Axis-FP 630-4/8D/0.8/0.2-8/35/AL-U1-300/2	Axis-FP 630-2/4D/6/1.5-7/37.5/AL-U1-300/2	Axis-FP 710-4D/3-6/45/AL-U1-300/2
	Axis-FP 630-4D/1.1-8/40/AL-U1-300/2	Axis-FP 630-4/8D/1.2/0.3-8/40/AL-U1-300/2	Axis-FP 630-2/4D/8/2-7/41.5/AL-U1-300/2	Axis-FP 710-4/8D/0.8/0.2-6/20/AL-U1-300/2
	Axis-FP 630-4D/1.1-6/32.5/AL-U1-300/2	Axis-FP 630-4/8D/1.2/0.3-6/32.5/AL-U1-300/2	Axis-FP 630-2/4D/12/3-8/41.5/AL-U1-300/2	Axis-FP 710-4/8D/1.2/0.3-6/25/AL-U1-300/2
	Axis-FP 630-4D/1.5-6/37.5/AL-U1-300/2	Axis-FP 630-4/8D/1.6/0.4-6/37.5/AL-U1-300/2	Axis-FP 630-2/4D/16/4-8/46.5/AL-U1-300/2	Axis-FP 710-4/8D/1.6/0.4-6/30/AL-U1-300/2
	Axis-FP 630-4D/2.2-6/45/AL-U1-300/2	Axis-FP 630-4/8D/2.2/0.55-6/45/AL-U1-300/2	Axis-FP 630-2/4D/16/4-9/48.5/AL-U1-300/2	Axis-FP 710-4/8D/2.2/0.55-6/35/AL-U1-300/2
	Axis-FP 630-2D/2.2-6/25/AL-U1-300/2	Axis-FP 630-4/6D/0.55/0.2-8/25/AL-U1-300/2	Axis-FP 710-6D/0.25-6/20/AL-U1-300/2	Axis-FP 710-4/8D/2.2/0.55-6/40/AL-U1-300/2
	Axis-FP 630-2D/3-6/30/AL-U1-300/2	Axis-FP 630-4/6D/0.55/0.2-8/30/AL-U1-300/2	Axis-FP 710-6D/0.25-6/25/AL-U1-300/2	Axis-FP 710-4/8D/2.8/0.7-6/45/AL-U1-300/2
	Axis-FP 630-2D/4-7/32.5/AL-U1-300/2	Axis-FP 630-4/6D/0.75/0.25-8/35/AL-U1-300/2	Axis-FP 710-6D/0.37-6/30/AL-U1-300/2	Axis-FP 710-4/6D/0.75/0.25-6/20/AL-U1-300/2

First Issued: 2017-01-30

Latest Issue: 2023-07-06

Page: 15 of 44

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

# Certificate of Constancy of Performance

No. 2797 CPR 664983

## EN 12101-3:2015 Product information:

Axis-FP 300°C/2h 400V~ 50Hz (Standard Models)	Models			
	Axis-FP 710-4/6D/1.1/0.3-6/25/AL-U1-300/2	Axis-FP 800-4D/3-6/32.5/AL-U1-300/2	Axis-FP 800-4/6D/2.2/0.7-6/32.5/AL-U1-300/2	Axis-FP 900-4/8D/5/1.3-8/20/ST-U2-300/2
	Axis-FP 710-4/6D/1.5/0.37-6/30/AL-U1-300/2	Axis-FP 800-4D/3-6/35/AL-U1-300/2	Axis-FP 800-4/6D/3/1-6/35/AL-U1-300/2	Axis-FP 900-4/8D/7.2/1.8-8/28/ST-U2-300/2
	Axis-FP 710-4/6D/2.2/0.7-6/35/AL-U1-300/2	Axis-FP 800-4D/4-6/37.5/AL-U1-300/2	Axis-FP 800-4/6D/3/1-6/37.5/AL-U1-300/2	Axis-FP 900-4/8D/11/3-8/35/ST-U2-300/2
	Axis-FP 710-4/6D/2.2/0.7-6/40/AL-U1-300/2	Axis-FP 800-4D/4-6/40/AL-U1-300/2	Axis-FP 800-4/6D/4.5/1.5-6/45/AL-U1-300/2	Axis-FP 900-4/6D/3/1-8/12/ST-U2-300/2
	Axis-FP 710-4/6D/3/1-6/45/AL-U1-300/2	Axis-FP 800-4D/5.5-6/45/AL-U1-300/2	Axis-FP 900-6D/0.75-8/12/ST-U2-300/2	Axis-FP 900-4/6D/4.5/1.5-8/16/ST-U2-300/2
	Axis-FP 800-6D/0.37-6/20/AL-U1-300/2	Axis-FP 800-4/8D/1.2/0.3-6/20/AL-U1-300/2	Axis-FP 900-6D/1.1-8/17/ST-U2-300/2	Axis-FP 900-4/6D/6/2.2-8/21/ST-U2-300/2
	Axis-FP 800-6D/0.55-6/25/AL-U1-300/2	Axis-FP 800-4/8D/1.6/0.4-6/25/AL-U1-300/2	Axis-FP 900-6D/1.5-8/23/ST-U2-300/2	Axis-FP 900-4/6D/7.5/3.5-8/27/ST-U2-300/2
	Axis-FP 800-6D/0.75-6/30/AL-U1-300/2	Axis-FP 800-4/8D/2.2/0.55-6/30/AL-U1-300/2	Axis-FP 900-6D/2.2-8/30/ST-U2-300/2	Axis-FP 900-4/6D/10/3.3-8/33/ST-U2-300/2
	Axis-FP 800-6D/0.75-6/32.5/AL-U1-300/2	Axis-FP 800-4/8D/2.8/0.7-6/32.5/AL-U1-300/2	Axis-FP 900-6D/3-8/35/ST-U2-300/2	Axis-FP 1000-6D/1.5-8/16/ST-U2-300/2
	Axis-FP 800-6D/1.1-6/35/AL-U1-300/2	Axis-FP 800-4/8D/2.8/0.7-6/35/AL-U1-300/2	Axis-FP 900-4D/3-8/13/ST-U2-300/2	Axis-FP 1000-6D/2.2-8/20/ST-U2-300/2
	Axis-FP 800-6D/1.1-6/37.5/AL-U1-300/2	Axis-FP 800-4/8D/3.8/1-6/37.5/AL-U1-300/2	Axis-FP 900-4D/4-8/16/ST-U2-300/2	Axis-FP 1000-6D/3-8/25/ST-U2-300/2
	Axis-FP 800-6D/1.1-6/40/AL-U1-300/2	Axis-FP 800-4/8D/3.8/1-6/40/AL-U1-300/2	Axis-FP 900-4D/5.5-8/21/ST-U2-300/2	Axis-FP 1000-6D/4-8/32/ST-U2-300/2
	Axis-FP 800-6D/1.5-6/45/AL-U1-300/2	Axis-FP 800-4/8D/5/1.3-6/45/AL-U1-300/2	Axis-FP 900-4D/7.5-8/28/ST-U2-300/2	Axis-FP 1000-4D/5.5-8/15/ST-U2-300/2
	Axis-FP 800-4D/1.1-6/20/AL-U1-300/2	Axis-FP 800-4/6D/1.1/0.3-6/20/AL-U1-300/2	Axis-FP 900-4D/11-8/35/ST-U2-300/2	Axis-FP 1000-4D/7.5-8/19/ST-U2-300/2
	Axis-FP 800-4D/1.5-6/25/AL-U1-300/2	Axis-FP 800-4/6D/1.5/0.37-6/25/AL-U1-300/2	Axis-FP 900-4/8D/2.8/0.7-8/12/ST-U2-300/2	Axis-FP 1000-4D/9.2-8/22/ST-U2-300/2
	Axis-FP 800-4D/2.2-6/30/AL-U1-300/2	Axis-FP 800-4/6D/2.2/0.7-6/30/AL-U1-300/2	Axis-FP 900-4/8D/3.8/1-8/15/ST-U2-300/2	Axis-FP 1000-4D/11-8/26/ST-U2-300/2

First Issued: 2017-01-30

Latest Issue: 2023-07-06

Page: 16 of 44

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.



# Certificate of Constancy of Performance

No. 2797 CPR 664983

## EN 12101-3:2015 Product information:

Axis-FP 300°C/2h 400V~ 50Hz (Standard Models)	Models			
	Axis-FP 1000-4D/15-8/33/ST-U2-300/2	Axis-FP 1120-4D/11-8/17/ST-U2-300/2	Axis-FP 1250-6D/11-8/23/ST-U2-300/2	Axis-FP 1400-6D/15-8/21/ST-U2-300/2
	Axis-FP 1000-4/8D/5/1.3-8/14/ST-U2-300/2	Axis-FP 1120-4D/15-8/21/ST-U2-300/2	Axis-FP 1250-6D/15-8/30/ST-U2-300/2	Axis-FP 1400-6D/18.5-8/25/ST-U2-300/2
	Axis-FP 1000-4/8D/7.2/1.8-8/18/ST-U2-300/2	Axis-FP 1120-4D/18.5-8/26/ST-U2-300/2	Axis-FP 1250-4D/18.5-8/11/ST-U2-300/2	Axis-FP 1400-6D/22-8/29/ST-U2-300/2
	Axis-FP 1000-4/8D/11/3-8/26/ST-U2-300/2	Axis-FP 1120-4D/22-8/30/ST-U2-300/2	Axis-FP 1250-4D/22-8/14/ST-U2-300/2	Axis-FP 1400-4D/30-8/12/ST-U2-300/2
	Axis-FP 1000-4/8D/14/3.5-8/31/ST-U2-300/2	Axis-FP 1120-4/8D/7.2/1.8-8/11/ST-U2-300/2	Axis-FP 1250-4D/30-8/19/ST-U2-300/2	Axis-FP 1400-4D/37-8/15/ST-U2-300/2
	Axis-FP 1000-4/6D/6/2.2-8/15/ST-U2-300/2	Axis-FP 1120-4/8D/11/3-8/14/ST-U2-300/2	Axis-FP 1250-4/8D/17/4.3-8/10/ST-U2-300/2	Axis-FP 1400-4D/45-8/18/ST-U2-300/2
	Axis-FP 1000-4/6D/7.5/3.5-8/18/ST-U2-300/2	Axis-FP 1120-4/8D/14/3.5-8/19/ST-U2-300/2	Axis-FP 1250-4/8D/20/5-8/12/ST-U2-400/3	Axis-FP 1400-4D/55-8/22/ST-U2-300/2
	Axis-FP 1000-4/6D/10/3.3-8/24/ST-U2-300/2	Axis-FP 1120-4/8D/17/4.3-8/24/ST-U2-400/3	Axis-FP 1250-4/8D/28/6.5-8/17/ST-U2-400/4	Axis-FP 1400-4/8D/28/6.5-8/12/ST-U2-300/2
	Axis-FP 1000-4/6D/14/4.5-8/31/ST-U2-300/2	Axis-FP 1120-4/8D/20/5-8/27/ST-U2-400/4	Axis-FP 1250-4/6D/16/6.5-8/10/ST-U2-300/2	Axis-FP 1400-4/8D/37/9.2-8/15/ST-U2-300/2
	Axis-FP 1120-6D/2.2-8/13/ST-U2-300/2	Axis-FP 1120-4/6D/7.5/3.5-8/11/ST-U2-300/2	Axis-FP 1250-4/6D/20/8.5-8/12/ST-U2-300/2	Axis-FP 1400-4/8D/44/11-8/17/ST-U2-300/2
	Axis-FP 1120-6D/3-8/17/ST-U2-300/2	Axis-FP 1120-4/6D/10/3.3-8/15/ST-U2-300/2	Axis-FP 1250-4/6D/26/9-8/16/ST-U2-400/3	Axis-FP 1400-4/8D/55/14.7-8/22/ST-U2-300/2
	Axis-FP 1120-6D/4-8/21/ST-U2-300/2	Axis-FP 1120-4/6D/14/4.5-8/19/ST-U2-400/3	Axis-FP 1400-8D/4-8/14/ST-U2-300/2	Axis-FP 1400-4/6D/26/9-8/10/ST-U2-300/2
	Axis-FP 1120-6D/5.5-8/27/ST-U2-300/2	Axis-FP 1120-4/6D/16/6.5-8/23/ST-U2-300/2	Axis-FP 1400-8D/5.5-8/20/ST-U2-300/2	Axis-FP 1400-4/6D/34/12-8/13/ST-U2-300/2
	Axis-FP 1120-6D/7.5-8/35/ST-U2-300/2	Axis-FP 1120-4/6D/20/8.5-8/27/ST-U2-300/2	Axis-FP 1400-8D/7.5-8/25/ST-U2-300/2	Axis-FP 1400-4/6D/40/14-8/16/ST-U2-300/2
	Axis-FP 1120-4D/7.5-8/12/ST-U2-300/2	Axis-FP 1250-6D/5.5-8/12/ST-U2-300/2	Axis-FP 1400-8D/11-8/32/ST-U2-300/2	Axis-FP 1400-4/6D/50/18-8/20/ST-U2-300/2
	Axis-FP 1120-4D/9.2-8/14/ST-U2-300/2	Axis-FP 1250-6D/7.5-8/17/ST-U2-300/2	Axis-FP 1400-6D/11-8/15/ST-U2-300/2	Axis-FP 1600-8D/5.5-8/10/ST-U2-300/2

First Issued: 2017-01-30

Latest Issue: 2023-07-06

Page: 17 of 44

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

# Certificate of Constancy of Performance

No. 2797 CPR 664983

## EN 12101-3:2015 Product information:

<b>Axis-FP 300°C/2h 400V~ 50Hz (Standard Models)</b>	<b>Models</b>
	Axis-FP 1600-8D/7.5-8/15/ST-U2-300/2
	Axis-FP 1600-8D/11-8/20/ST-U2-300/2
	Axis-FP 1600-8D/15-8/27/ST-U2-300/2
	Axis-FP 1600-6D/18.5-8/14/ST-U2-300/2
	Axis-FP 1600-6D/22-8/17/ST-U2-300/2
	Axis-FP 1600-6D/30-8/22/ST-U2-300/2
	Axis-FP 1600-6D/37-8/27/ST-U2-300/2
	Axis-FP 1600-6D/45-8/30/ST-U2-300/2
	Axis-FP 1600-4D/55-8/12/ST-U2-300/2
Axis-FP 1600-4D/75-8/16/ST-U2-300/2	

## EN 12101-3:2015 Product information:

<b>Response Delay</b>	N/A
<b>Resistance to Fire class</b>	F300 ( <i>Tested to 300°C, 120mins</i> )
<b>Motor Rating</b>	H
<b>Ancillaries</b>	Ancillaries include silencers and outlet vanes

First Issued: 2017-01-30

Latest Issue: 2023-07-06

Page: 18 of 44

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.

# Certificate of Constancy of Performance

No. 2797 CPR 664983

## EN 12101-3:2015 Product information:

Axis-FP 300°C/2h 400V~ 50Hz (Short Models)	Models			
	Axis-FP 400K-4D/0.37-6/30/AL-U1-300/2	Axis-FP 450K-4D/0.37-6/25/AL-U1-300/2	Axis-FP 450K-2/4D/3.1/0.8-8/40/AL-U1-300/2	Axis-FP 500K-2/4D/2.2/0.5-6/35/AL-U1-300/2
	Axis-FP 400K-4D/0.37-6/35/AL-U1-300/2	Axis-FP 450K-4D/0.37-6/30/AL-U1-300/2	Axis-FP 450K-2/4D/4.4/1.1-8/45/AL-U1-300/2	Axis-FP 500K-2/4D/3.1/0.8-8/35/AL-U1-300/2
	Axis-FP 400K-4D/0.37-6/40/AL-U1-300/2	Axis-FP 450K-4D/0.37-6/35/AL-U1-300/2	Axis-FP 500K-4D/0.37-6/25/AL-U1-300/2	Axis-FP 500K-2/4D/4.4/1.1-8/40/AL-U1-300/2
	Axis-FP 400K-4D/0.37-6/45/AL-U1-300/2	Axis-FP 450K-4D/0.37-6/40/AL-U1-300/2	Axis-FP 500K-4D/0.37-6/30/AL-U1-300/2	Axis-FP 500K-2/4D/6/1.5-8/45/AL-U1-300/2
	Axis-FP 400K-4D/0.37-8/45/AL-U1-300/2	Axis-FP 450K-4D/0.37-8/40/AL-U1-300/2	Axis-FP 500K-4D/0.37-6/35/AL-U1-300/2	Axis-FP 560K-4D/0.37-6/25/AL-U1-300/2
	Axis-FP 400K-2D/0.55-6/25/AL-U1-300/2	Axis-FP 450K-4D/0.55-8/45/AL-U1-300/2	Axis-FP 500K-4D/0.37-6/40/AL-U1-300/2	Axis-FP 560K-4D/0.37-6/30/AL-U1-300/2
	Axis-FP 400K-2D/0.75-6/30/AL-U1-300/2	Axis-FP 450K-2D/0.75-6/25/AL-U1-300/2	Axis-FP 500K-4D/0.55-6/45/AL-U1-300/2	Axis-FP 560K-4D/0.37-6/35/AL-U1-300/2
	Axis-FP 400K-2D/1.1-6/35/AL-U1-300/2	Axis-FP 450K-2D/1.1-6/30/AL-U1-300/2	Axis-FP 500K-4D/0.55-8/45/AL-U1-300/2	Axis-FP 560K-4D/0.55-6/40/AL-U1-300/2
	Axis-FP 400K-2D/1.5-6/40/AL-U1-300/2	Axis-FP 450K-2D/1.5-6/35/AL-U1-300/2	Axis-FP 500K-2D/1.1-6/25/AL-U1-300/2	Axis-FP 560K-4D/0.55-6/45/AL-U1-300/2
	Axis-FP 400K-2D/1.5-6/45/AL-U1-300/2	Axis-FP 450K-2D/2.2-6/40/AL-U1-300/2	Axis-FP 500K-2D/1.5-6/30/AL-U1-300/2	Axis-FP 560K-4D/0.75-8/45/AL-U1-300/2
	Axis-FP 400K-2D/2.2-8/45/AL-U1-300/2	Axis-FP 450K-2D/3-8/40/AL-U1-300/2	Axis-FP 500K-2D/2.2-6/35/AL-U1-300/2	Axis-FP 560K-2D/1.1-6/25/AL-U1-300/2
	Axis-FP 400K-2/4D/0.8/0.2-6/30/AL-U1-300/2	Axis-FP 450K-2D/4-8/45/AL-U1-300/2	Axis-FP 500K-2D/3-8/35/AL-U1-300/2	Axis-FP 560K-2D/1.5-6/30/AL-U1-300/2
	Axis-FP 400K-2/4D/1.1/0.25-6/35/AL-U1-300/2	Axis-FP 450K-2/4D/0.8/0.2-6/25/AL-U1-300/2	Axis-FP 500K-2D/4-8/40/AL-U1-300/2	Axis-FP 560K-2D/2.2-8/30/AL-U1-300/2
	Axis-FP 400K-2/4D/1.5/0.37-6/40/AL-U1-300/2	Axis-FP 450K-2/4D/1.1/0.25-6/30/AL-U1-300/2	Axis-FP 500K-2D/5.5-8/45/AL-U1-300/2	Axis-FP 560K-2D/4-8/35/AL-U1-300/2
	Axis-FP 400K-2/4D/1.5/0.37-6/45/AL-U1-300/2	Axis-FP 450K-2/4D/1.5/0.37-6/35/AL-U1-300/2	Axis-FP 500K-2/4D/1.1/0.25-6/25/AL-U1-300/2	Axis-FP 560K-2D/5.5-8/40/AL-U1-300/2
	Axis-FP 400K-2/4D/2.2/0.5-8/45/AL-U1-300/2	Axis-FP 450K-2/4D/2.2/0.5-6/40/AL-U1-300/2	Axis-FP 500K-2/4D/1.5/0.37-6/30/AL-U1-300/2	Axis-FP 560K-2D/7.5-8/45/AL-U1-300/2

First Issued: 2017-01-30

Latest Issue: 2023-07-06

Page: 19 of 44

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

# Certificate of Constancy of Performance

No. 2797 CPR 664983

## EN 12101-3:2015 Product information:

Axis-FP 300°C/2h 400V~ 50Hz (Short Models)	Models			
	Axis-FP 560K-2/4D/1.1/0.25-6/25/AL-U1-300/2	Axis-FP 630K-2D/2.2-6/25/AL-U1-300/2	Axis-FP 630K-4/8D/1.2/0.3-6/32.5/AL-U1-300/2	Axis-FP 630K-2/4D/6/1.5-7/35/AL-U1-300/2
	Axis-FP 560K-2/4D/1.5/0.37-6/30/AL-U1-300/2	Axis-FP 630K-2D/3-6/30/AL-U1-300/2	Axis-FP 630K-4/8D/1.6/0.4-6/37.5/AL-U1-300/2	Axis-FP 630K-2/4D/6/1.5-7/37.5/AL-U1-300/2
	Axis-FP 560K-2/4D/2.2/0.5-8/30/AL-U1-300/2	Axis-FP 630K-2D/4-7/32.5/AL-U1-300/2	Axis-FP 630K-4/8D/2.2/0.55-6/45/AL-U1-300/2	Axis-FP 630K-2/4D/8/2-7/41.5/AL-U1-300/2
	Axis-FP 560K-2/4D/4.4/1.1-8/35/AL-U1-300/2	Axis-FP 630K-2D/5.5-7/35/AL-U1-300/2	Axis-FP 630K-4/6D/0.55/0.2-8/25/AL-U1-300/2	Axis-FP 630K-2/4D/12/3-8/41.5/AL-U1-300/2
	Axis-FP 560K-2/4D/6/1.5-8/40/AL-U1-300/2	Axis-FP 630K-2D/5.5-7/37.5/AL-U1-300/2	Axis-FP 630K-4/6D/0.55/0.2-8/30/AL-U1-300/2	Axis-FP 630K-2/4D/16/4-8/46.5/AL-U1-300/2
	Axis-FP 560K-2/4D/8/2-8/45/AL-U1-300/2	Axis-FP 630K-2D/7.5-7/41.5/AL-U1-300/2	Axis-FP 630K-4/6D/0.75/0.25-8/35/AL-U1-300/2	Axis-FP 630K-2/4D/16/4-9/48.5/AL-U1-300/2
	Axis-FP 630K-4D/0.37-8/25/AL-U1-300/2	Axis-FP 630K-2D/11-8/41.5/AL-U1-300/2	Axis-FP 630K-4/6D/1.1/0.3-8/40/AL-U1-300/2	Axis-FP 710K-6D/0.25-6/20/AL-U1-300/2
	Axis-FP 630K-4D/0.55-8/30/AL-U1-300/2	Axis-FP 630K-2D/15-8/46.5/AL-U1-300/2	Axis-FP 630K-4/6D/1.1/0.3-6/32.5/AL-U1-300/2	Axis-FP 710K-6D/0.25-6/25/AL-U1-300/2
	Axis-FP 630K-4D/0.75-8/35/AL-U1-300/2	Axis-FP 630K-2D/15-9/48.5/AL-U1-300/2	Axis-FP 630K-4/6D/1.5/0.37-6/37.5/AL-U1-300/2	Axis-FP 710K-6D/0.37-6/30/AL-U1-300/2
	Axis-FP 630K-4D/1.1-8/40/AL-U1-300/2	Axis-FP 630K-4/8D/0.6/0.15-8/25/AL-U1-300/2	Axis-FP 630K-4/6D/2.2/0.7-6/45/AL-U1-300/2	Axis-FP 710K-6D/0.55-6/35/AL-U1-300/2
	Axis-FP 630K-4D/1.1-6/32.5/AL-U1-300/2	Axis-FP 630K-4/8D/0.6/0.15-8/30/AL-U1-300/2	Axis-FP 630K-2/4D/2.2/0.5-6/25/AL-U1-300/2	Axis-FP 710K-6D/0.75-6/40/AL-U1-300/2
	Axis-FP 630K-4D/1.5-6/37.5/AL-U1-300/2	Axis-FP 630K-4/8D/0.8/0.2-8/35/AL-U1-300/2	Axis-FP 630K-2/4D/3.1/0.8-6/30/AL-U1-300/2	Axis-FP 710K-6D/1.1-6/45/AL-U1-300/2
Axis-FP 630K-4D/2.2-6/45/AL-U1-300/2	Axis-FP 630K-4/8D/1.2/0.3-8/40/AL-U1-300/2	Axis-FP 630K-2/4D/4.4/1.1-7/32.5/AL-U1-300/2	Axis-FP 710K-4D/0.75-6/20/AL-U1-300/2	

First Issued: 2017-01-30

Latest Issue: 2023-07-06

Page: 20 of 44

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.

# Certificate of Constancy of Performance

No. 2797 CPR 664983

## EN 12101-3:2015 Product information:

Axis-FP 300°C/2h 400V~ 50Hz (Short Models)	Models			
	Axis-FP 710K-4D/1.1-6/25/AL-U1-300/2	Axis-FP 710K-4/6D/1.5/0.37-6/30/AL-U1-300/2	Axis-FP 800K-4D/1.5-6/25/AL-U1-300/2	Axis-FP 800K-4/8D/3.8/1-6/40/AL-U1-300/2
	Axis-FP 710K-4D/1.5-6/30/AL-U1-300/2	Axis-FP 710K-4/6D/2.2/0.7-6/35/AL-U1-300/2	Axis-FP 800K-4D/2.2-6/30/AL-U1-300/2	Axis-FP 800K-4/8D/5/1.3-6/45/AL-U1-300/2
	Axis-FP 710K-4D/2.2-6/35/AL-U1-300/2	Axis-FP 710K-4/6D/2.2/0.7-6/40/AL-U1-300/2	Axis-FP 800K-4D/3-6/32.5/AL-U1-300/2	Axis-FP 800K-4/6D/1.1/0.3-6/20/AL-U1-300/2
	Axis-FP 710K-4D/2.2-6/40/AL-U1-300/2	Axis-FP 710K-4/6D/3/1-6/45/AL-U1-300/2	Axis-FP 800K-4D/3-6/35/AL-U1-300/2	Axis-FP 800K-4/6D/1.5/0.37-6/25/AL-U1-300/2
	Axis-FP 710K-4D/3-6/45/AL-U1-300/2	Axis-FP 800K-6D/0.37-6/20/AL-U1-300/2	Axis-FP 800K-4D/4-6/37.5/AL-U1-300/2	Axis-FP 800K-4/6D/2.2/0.7-6/30/AL-U1-300/2
	Axis-FP 710K-4/8D/0.8/0.2-6/20/AL-U1-300/2	Axis-FP 800K-6D/0.55-6/25/AL-U1-300/2	Axis-FP 800K-4D/4-6/40/AL-U1-300/2	Axis-FP 800K-4/6D/2.2/0.7-6/32.5/AL-U1-300/2
	Axis-FP 710K-4/8D/1.2/0.3-6/25/AL-U1-300/2	Axis-FP 800K-6D/0.75-6/30/AL-U1-300/2	Axis-FP 800K-4D/5.5-6/45/AL-U1-300/2	Axis-FP 800K-4/6D/3/1-6/35/AL-U1-300/2
	Axis-FP 710K-4/8D/1.6/0.4-6/30/AL-U1-300/2	Axis-FP 800K-6D/0.75-6/32.5/AL-U1-300/2	Axis-FP 800K-4/8D/1.2/0.3-6/20/AL-U1-300/2	Axis-FP 800K-4/6D/3/1-6/37.5/AL-U1-300/2
	Axis-FP 710K-4/8D/2.2/0.55-6/35/AL-U1-300/2	Axis-FP 800K-6D/1.1-6/35/AL-U1-300/2	Axis-FP 800K-4/8D/1.6/0.4-6/25/AL-U1-300/2	Axis-FP 800K-4/6D/4.5/1.5-6/45/AL-U1-300/2
	Axis-FP 710K-4/8D/2.2/0.55-6/40/AL-U1-300/2	Axis-FP 800K-6D/1.1-6/37.5/AL-U1-300/2	Axis-FP 800K-4/8D/2.2/0.55-6/30/AL-U1-300/2	Axis-FP 900K-6D/0.75-8/12/ST-U2-300/2
	Axis-FP 710K-4/8D/2.8/0.7-6/45/AL-U1-300/2	Axis-FP 800K-6D/1.1-6/40/AL-U1-300/2	Axis-FP 800K-4/8D/2.8/0.7-6/32.5/AL-U1-300/2	Axis-FP 900K-6D/1.1-8/17/ST-U2-300/2
	Axis-FP 710K-4/6D/0.75/0.25-6/20/AL-U1-300/2	Axis-FP 800K-6D/1.5-6/45/AL-U1-300/2	Axis-FP 800K-4/8D/2.8/0.7-6/35/AL-U1-300/2	Axis-FP 900K-6D/1.5-8/23/ST-U2-300/2
Axis-FP 710K-4/6D/1.1/0.3-6/25/AL-U1-300/2	Axis-FP 800K-4D/1.1-6/20/AL-U1-300/2	Axis-FP 800K-4/8D/3.8/1-6/37.5/AL-U1-300/2	Axis-FP 900K-6D/2.2-8/30/ST-U2-300/2	

First Issued: 2017-01-30

Latest Issue: 2023-07-06

Page: 21 of 44

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

# Certificate of Constancy of Performance

No. 2797 CPR 664983

## EN 12101-3:2015 Product information:

Axis-FP 300°C/2h 400V~ 50Hz (Short Models)	Models			
	Axis-FP 900K-6D/3-8/35/ST-U2-300/2	Axis-FP 900K-4/6D/6/2.2-8/21/ST-U2-300/2	Axis-FP 1000K-4/8D/7.2/1.8-8/18/ST-U2-300/2	Axis-FP 1120K-4D/9.2-8/14/ST-U2-300/2
	Axis-FP 900K-4D/3-8/13/ST-U2-300/2	Axis-FP 900K-4/6D/7.5/3.5-8/27/ST-U2-300/2	Axis-FP 1000K-4/8D/11/3-8/26/ST-U2-300/2	Axis-FP 1120K-4D/11-8/17/ST-U2-300/2
	Axis-FP 900K-4D/4-8/16/ST-U2-300/2	Axis-FP 900K-4/6D/10/3.3-8/33/ST-U2-300/2	Axis-FP 1000K-4/8D/14/3.5-8/31/ST-U2-300/2	Axis-FP 1120K-4D/15-8/21/ST-U2-300/2
	Axis-FP 900K-4D/5.5-8/21/ST-U2-300/2	Axis-FP 1000K-6D/1.5-8/16/ST-U2-300/2	Axis-FP 1000K-4/6D/6/2.2-8/15/ST-U2-300/2	Axis-FP 1120K-4D/18.5-8/26/ST-U2-300/2
	Axis-FP 900K-4D/7.5-8/28/ST-U2-300/2	Axis-FP 1000K-6D/2.2-8/20/ST-U2-300/2	Axis-FP 1000K-4/6D/7.5/3.5-8/18/ST-U2-300/2	Axis-FP 1120K-4D/22-8/30/ST-U2-300/2
	Axis-FP 900K-4D/11-8/35/ST-U2-300/2	Axis-FP 1000K-6D/3-8/25/ST-U2-300/2	Axis-FP 1000K-4/6D/10/3.3-8/24/ST-U2-300/2	Axis-FP 1120K-4/8D/7.2/1.8-8/11/ST-U2-300/2
	Axis-FP 900K-4/8D/2.8/0.7-8/12/ST-U2-300/2	Axis-FP 1000K-6D/4-8/32/ST-U2-300/2	Axis-FP 1000K-4/6D/14/4.5-8/31/ST-U2-300/2	Axis-FP 1120K-4/8D/11/3-8/14/ST-U2-300/2
	Axis-FP 900K-4/8D/3.8/1-8/15/ST-U2-300/2	Axis-FP 1000K-4D/5.5-8/15/ST-U2-300/2	Axis-FP 1120K-6D/2.2-8/13/ST-U2-300/2	Axis-FP 1120K-4/8D/14/3.5-8/19/ST-U2-300/2
	Axis-FP 900K-4/8D/5/1.3-8/20/ST-U2-300/2	Axis-FP 1000K-4D/7.5-8/19/ST-U2-300/2	Axis-FP 1120K-6D/3-8/17/ST-U2-300/2	Axis-FP 1120K-4/8D/17/4.3-8/24/ST-U2-400/3
	Axis-FP 900K-4/8D/7.2/1.8-8/28/ST-U2-300/2	Axis-FP 1000K-4D/9.2-8/22/ST-U2-300/2	Axis-FP 1120K-6D/4-8/21/ST-U2-300/2	Axis-FP 1120K-4/8D/20/5-8/27/ST-U2-400/4
	Axis-FP 900K-4/8D/11/3-8/35/ST-U2-300/2	Axis-FP 1000K-4D/11-8/26/ST-U2-300/2	Axis-FP 1120K-6D/5.5-8/27/ST-U2-300/2	Axis-FP 1120K-4/6D/7.5/3.5-8/11/ST-U2-300/2
	Axis-FP 900K-4/6D/3/1-8/12/ST-U2-300/2	Axis-FP 1000K-4D/15-8/33/ST-U2-300/2	Axis-FP 1120K-6D/7.5-8/35/ST-U2-300/2	Axis-FP 1120K-4/6D/10/3.3-8/15/ST-U2-300/2
Axis-FP 900K-4/6D/4.5/1.5-8/16/ST-U2-300/2	Axis-FP 1000K-4/8D/5/1.3-8/14/ST-U2-300/2	Axis-FP 1120K-4D/7.5-8/12/ST-U2-300/2	Axis-FP 1120K-4/6D/14/4.5-8/19/ST-U2-400/3	

First Issued: 2017-01-30

Latest Issue: 2023-07-06

Page: 22 of 44

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

# Certificate of Constancy of Performance

No. 2797 CPR 664983

## EN 12101-3:2015 Product information:

<b>Axis-FP 300°C/2h 400V~ 50Hz (Short Models)</b>	<b>Models</b>			
	Axis-FP 1120K-4/6D/16/6.5-8/23/ST-U2-300/2	Axis-FP 1250K-4/6D/20/8.5-8/12/ST-U2-300/2	Axis-FP 1400K-4D/55-8/22/ST-U2-300/2	Axis-FP 1600K-6D/18.5-8/14/ST-U2-300/2
	Axis-FP 1120K-4/6D/20/8.5-8/27/ST-U2-300/2	Axis-FP 1250K-4/6D/26/9-8/16/ST-U2-400/3	Axis-FP 1400K-4/8D/28/6.5-8/12/ST-U2-300/2	Axis-FP 1600K-6D/22-8/17/ST-U2-300/2
	Axis-FP 1250K-6D/5.5-8/12/ST-U2-300/2	Axis-FP 1400K-8D/4-8/14/ST-U2-300/2	Axis-FP 1400K-4/8D/37/9.2-8/15/ST-U2-300/2	Axis-FP 1600K-6D/30-8/22/ST-U2-300/2
	Axis-FP 1250K-6D/7.5-8/17/ST-U2-300/2	Axis-FP 1400K-8D/5.5-8/20/ST-U2-300/2	Axis-FP 1400K-4/8D/44/11-8/17/ST-U2-300/2	Axis-FP 1600K-6D/37-8/27/ST-U2-300/2
	Axis-FP 1250K-6D/11-8/23/ST-U2-300/2	Axis-FP 1400K-8D/7.5-8/25/ST-U2-300/2	Axis-FP 1400K-4/8D/55/14.7-8/22/ST-U2-300/2	Axis-FP 1600K-6D/45-8/30/ST-U2-300/2
	Axis-FP 1250K-6D/15-8/30/ST-U2-300/2	Axis-FP 1400K-8D/11-8/32/ST-U2-300/2	Axis-FP 1400K-4/6D/26/9-8/10/ST-U2-300/2	Axis-FP 1600K-4D/55-8/12/ST-U2-300/2
	Axis-FP 1250K-4D/18.5-8/11/ST-U2-300/2	Axis-FP 1400K-6D/11-8/15/ST-U2-300/2	Axis-FP 1400K-4/6D/34/12-8/13/ST-U2-300/2	Axis-FP 1600K-4D/75-8/16/ST-U2-300/2
	Axis-FP 1250K-4D/22-8/14/ST-U2-300/2	Axis-FP 1400K-6D/15-8/21/ST-U2-300/2	Axis-FP 1400K-4/6D/40/14-8/16/ST-U2-300/2	
	Axis-FP 1250K-4D/30-8/19/ST-U2-300/2	Axis-FP 1400K-6D/18.5-8/25/ST-U2-300/2	Axis-FP 1400K-4/6D/50/18-8/20/ST-U2-300/2	
	Axis-FP 1250K-4/8D/17/4.3-8/10/ST-U2-300/2	Axis-FP 1400K-6D/22-8/29/ST-U2-300/2	Axis-FP 1600K-8D/5.5-8/10/ST-U2-300/2	
	Axis-FP 1250K-4/8D/20/5-8/12/ST-U2-400/3	Axis-FP 1400K-4D/30-8/12/ST-U2-300/2	Axis-FP 1600K-8D/7.5-8/15/ST-U2-300/2	
	Axis-FP 1250K-4/8D/28/6.5-8/17/ST-U2-400/4	Axis-FP 1400K-4D/37-8/15/ST-U2-300/2	Axis-FP 1600K-8D/11-8/20/ST-U2-300/2	
	Axis-FP 1250K-4/6D/16/6.5-8/10/ST-U2-300/2	Axis-FP 1400K-4D/45-8/18/ST-U2-300/2	Axis-FP 1600K-8D/15-8/27/ST-U2-300/2	

First Issued: 2017-01-30

Latest Issue: 2023-07-06

Page: 23 of 44

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.

# Certificate of Constancy of Performance

No. 2797 CPR 664983

## EN 12101-3:2015 Product information:

<b>Response Delay</b>	N/A
<b>Resistance to Fire class</b>	F300 ( <i>Tested to 300°C, 120mins</i> )
<b>Motor Rating</b>	H
<b>Ancillaries</b>	Ancillaries include silencers and outlet vanes

First Issued: 2017-01-30

Latest Issue: 2023-07-06

Page: 24 of 44

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.



# Certificate of Constancy of Performance

No. 2797 CPR 664983

## EN 12101-3:2015 Product information:

Axis-FP 300°C/2h 400V~ 60Hz (Standard Models)	Models			
	Axis-FP 400-4D/0.37-3/30/AL-U1-300/2-60Hz	Axis-FP 400-2/4D/1.5/0.37-3/40/AL-U1-300/2-60Hz	Axis-FP 450-2D/3-4/40/AL-U1-300/2-60Hz	Axis-FP 500-4D/0.75-4/45/AL-U1-300/2-60Hz
	Axis-FP 400-4D/0.37-3/35/AL-U1-300/2-60Hz	Axis-FP 400-2/4D/2.5/0.65-3/45/AL-U1-300/2-60Hz	Axis-FP 450-2D/3.7-4/45/AL-U1-300/2-60Hz	Axis-FP 500-2D/1.1-3/21.5/AL-U1-300/2-60Hz
	Axis-FP 400-4D/0.37-3/40/AL-U1-300/2-60Hz	Axis-FP 400-2/4D/2.5/0.65-4/45/AL-U1-300/2-60Hz	Axis-FP 450-2/4D/1.1/0.25-3/25/AL-U1-300/2-60Hz	Axis-FP 500-2D/1.5-3/25/AL-U1-300/2-60Hz
	Axis-FP 400-4D/0.37-3/45/AL-U1-300/2-60Hz	Axis-FP 450-4D/0.37-3/25/AL-U1-300/2-60Hz	Axis-FP 450-2/4D/1.1/0.25-3/30/AL-U1-300/2-60Hz	Axis-FP 500-2D/2.2-3/30/AL-U1-300/2-60Hz
	Axis-FP 400-4D/0.37-4/45/AL-U1-300/2-60Hz	Axis-FP 450-4D/0.37-3/30/AL-U1-300/2-60Hz	Axis-FP 450-2/4D/1.5/0.37-3/35/AL-U1-300/2-60Hz	Axis-FP 500-2D/3-5/31.5/AL-U1-300/2-60Hz
	Axis-FP 400-2D/0.55-3/25/AL-U1-300/2-60Hz	Axis-FP 450-4D/0.37-3/35/AL-U1-300/2-60Hz	Axis-FP 450-2/4D/2.5/0.65-3/40/AL-U1-300/2-60Hz	Axis-FP 500-2D/3.7-5/35/AL-U1-300/2-60Hz
	Axis-FP 400-2D/0.75-3/30/AL-U1-300/2-60Hz	Axis-FP 450-4D/0.37-3/40/AL-U1-300/2-60Hz	Axis-FP 450-2/4D/3.1/0.8-4/40/AL-U1-300/2-60Hz	Axis-FP 500-2D/4.5-5/40/AL-U1-300/2-60Hz
	Axis-FP 400-2D/1.1-3/35/AL-U1-300/2-60Hz	Axis-FP 450-4D/0.37-4/40/AL-U1-300/2-60Hz	Axis-FP 450-2/4D/4.4/1.1-4/45/AL-U1-300/2-60Hz	Axis-FP 500-2/4D/1.1/0.25-3/21.5/AL-U1-300/2-60Hz
	Axis-FP 400-2D/1.5-3/40/AL-U1-300/2-60Hz	Axis-FP 450-4D/0.55-4/45/AL-U1-300/2-60Hz	Axis-FP 500-4D/0.37-3/25/AL-U1-300/2-60Hz	Axis-FP 500-2/4D/1.5/0.37-3/25/AL-U1-300/2-60Hz
	Axis-FP 400-2D/2.2-3/45/AL-U1-300/2-60Hz	Axis-FP 450-2D/0.75-3/25/AL-U1-300/2-60Hz	Axis-FP 500-4D/0.37-3/30/AL-U1-300/2-60Hz	Axis-FP 500-2/4D/2.5/0.65-3/30/AL-U1-300/2-60Hz
	Axis-FP 400-2D/2.2-4/45/AL-U1-300/2-60Hz	Axis-FP 450-2D/1.1-3/30/AL-U1-300/2-60Hz	Axis-FP 500-4D/0.37-3/35/AL-U1-300/2-60Hz	Axis-FP 500-2/4D/3.1/0.8-5/31.5/AL-U1-300/2-60Hz
	Axis-FP 400-2/4D/1.1/0.25-3/30/AL-U1-300/2-60Hz	Axis-FP 450-2D/1.5-3/35/AL-U1-300/2-60Hz	Axis-FP 500-4D/0.37-3/40/AL-U1-300/2-60Hz	Axis-FP 500-2/4D/4.4/1.1-5/35/AL-U1-300/2-60Hz
Axis-FP 400-2/4D/1.1/0.25-3/35/AL-U1-300/2-60Hz	Axis-FP 450-2D/2.2-3/40/AL-U1-300/2-60Hz	Axis-FP 500-4D/0.55-3/45/AL-U1-300/2-60Hz	Axis-FP 500-2/4D/4.4/1.1-5/40/AL-U1-300/2-60Hz	

First Issued: 2017-01-30

Latest Issue: 2023-07-06

Page: 25 of 44

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.

# Certificate of Constancy of Performance

No. 2797 CPR 664983

## EN 12101-3:2015 Product information:

Axis-FP 300°C/2h 400V~ 60Hz (Standard Models)	Models			
	Axis-FP 560-4D/0.37-3/25/AL-U1-300/2-60Hz	Axis-FP 560-2/4D/3.1/0.8-5/28.5/AL-U1-300/2-60Hz	Axis-FP 630-2D/3.7-5/28.5/AL-U1-300/2-60Hz	Axis-FP 630-4/8D/1.2/0.3-4/40/AL-U1-300/2-60Hz
	Axis-FP 560-4D/0.37-3/30/AL-U1-300/2-60Hz	Axis-FP 560-2/4D/4.4/1.1-5/32.5/AL-U1-300/2-60Hz	Axis-FP 630-2D/4.5-5/31.5/AL-U1-300/2-60Hz	Axis-FP 630-4/8D/1.2/0.3-3/32.5/AL-U1-300/2-60Hz
	Axis-FP 560-4D/0.37-3/35/AL-U1-300/2-60Hz	Axis-FP 560-2/4D/4.4/1.1-5/35/AL-U1-300/2-60Hz	Axis-FP 630-2D/5.5-5/35/AL-U1-300/2-60Hz	Axis-FP 630-4/8D/1.6/0.4-3/37.5/AL-U1-300/2-60Hz
	Axis-FP 560-4D/0.55-3/40/AL-U1-300/2-60Hz	Axis-FP 560-2/4D/6/1.5-5/38.5/AL-U1-300/2-60Hz	Axis-FP 630-2D/7.5-5/38.5/AL-U1-300/2-60Hz	Axis-FP 630-4/8D/2.2/0.55-3/45/AL-U1-300/2-60Hz
	Axis-FP 560-4D/0.75-3/45/AL-U1-300/2-60Hz	Axis-FP 560-2/4D/8/2-5/43.5/AL-U1-300/2-60Hz	Axis-FP 630-2D/9.2-7/36/AL-U1-300/2-60Hz	Axis-FP 630-4/6D/0.55/0.2-4/25/AL-U1-300/2-60Hz
	Axis-FP 560-4D/1.1-4/45/AL-U1-300/2-60Hz	Axis-FP 630-4D/0.37-4/25/AL-U1-300/2-60Hz	Axis-FP 630-2D/11-7/38.5/AL-U1-300/2-60Hz	Axis-FP 630-4/6D/0.55/0.2-4/30/AL-U1-300/2-60Hz
	Axis-FP 560-2D/2.2-5/25/AL-U1-300/2-60Hz	Axis-FP 630-4D/0.55-4/30/AL-U1-300/2-60Hz	Axis-FP 630-2D/15-7/41/AL-U1-300/2-60Hz	Axis-FP 630-4/6D/1.1/0.3-4/40/AL-U1-300/2-60Hz
	Axis-FP 560-2D/3-5/28.5/AL-U1-300/2-60Hz	Axis-FP 630-4D/0.75-4/35/AL-U1-300/2-60Hz	Axis-FP 630-2D/15-7/43.5/AL-U1-300/2-60Hz	Axis-FP 630-4/6D/1.1/0.3-3/32.5/AL-U1-300/2-60Hz
	Axis-FP 560-2D/3.7-5/32.5/AL-U1-300/2-60Hz	Axis-FP 630-4D/1.1-4/40/AL-U1-300/2-60Hz	Axis-FP 630-2D/18.5-7/46.5/AL-U1-300/2-60Hz	Axis-FP 630-4/6D/1.5/0.37-3/37.5/AL-U1-300/2-60Hz
	Axis-FP 560-2D/4.5-5/35/AL-U1-300/2-60Hz	Axis-FP 630-4D/1.1-3/32.5/AL-U1-300/2-60Hz	Axis-FP 630-2D/18.5-7/48.5/AL-U1-300/2-60Hz	Axis-FP 630-4/6D/3/1-4/45/AL-U1-300/2-60Hz
	Axis-FP 560-2D/5.5-5/38.5/AL-U1-300/2-60Hz	Axis-FP 630-4D/1.5-3/37.5/AL-U1-300/2-60Hz	Axis-FP 630-4/8D/0.6/0.15-4/25/AL-U1-300/2-60Hz	Axis-FP 630-2/4D/2.5/0.65-5/25/AL-U1-300/2-60Hz
	Axis-FP 560-2D/7.5-5/43.5/AL-U1-300/2-60Hz	Axis-FP 630-4D/2.2-3/45/AL-U1-300/2-60Hz	Axis-FP 630-4/8D/0.6/0.15-4/30/AL-U1-300/2-60Hz	Axis-FP 630-2/4D/4.4/1.1-5/28.5/AL-U1-300/2-60Hz
Axis-FP 560-2/4D/2.5/0.6-5/25/AL-U1-300/2-60Hz	Axis-FP 630-2D/2.2-5/25/AL-U1-300/2-60Hz	Axis-FP 630-4/8D/0.8/0.2-4/35/AL-U1-300/2-60Hz	Axis-FP 630-2/4D/4.4/1.1-5/31.5/AL-U1-300/2-60Hz	

First Issued: 2017-01-30

Latest Issue: 2023-07-06

Page: 26 of 44

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

# Certificate of Constancy of Performance

No. 2797 CPR 664983

## EN 12101-3:2015 Product information:

Axis-FP 300°C/2h 400V~ 60Hz (Standard Models)	Models			
	Axis-FP 630-2/4D/6/1.5-5/35/AL-U1-300/2-60Hz	Axis-FP 710-4D/1.1-4/20/AL-U1-300/2-60Hz	Axis-FP 710-4/6D/1.5/0.37-4/25/AL-U1-300/2-60Hz	Axis-FP 800-4D/3-4/26.5/AL-U1-300/2-60Hz
	Axis-FP 630-2/4D/8/2-5/38.5/AL-U1-300/2-60Hz	Axis-FP 710-4D/1.5-4/25/AL-U1-300/2-60Hz	Axis-FP 710-4/6D/3/1-4/30/AL-U1-300/2-60Hz	Axis-FP 800-4D/3-4/29/AL-U1-300/2-60Hz
	Axis-FP 630-2/4D/12/3-7/38.5/AL-U1-300/2-60Hz	Axis-FP 710-4D/2.2-4/30/AL-U1-300/2-60Hz	Axis-FP 710-4/6D/3/1-4/35/AL-U1-300/2-60Hz	Axis-FP 800-4D/3.7-4/31.5/AL-U1-300/2-60Hz
	Axis-FP 630-2/4D/16/4-7/43.5/AL-U1-300/2-60Hz	Axis-FP 710-4D/3-4/35/AL-U1-300/2-60Hz	Axis-FP 710-4/6D/4.5/1.5-4/40/AL-U1-300/2-60Hz	Axis-FP 800-4D/4.5-4/34/AL-U1-300/2-60Hz
	Axis-FP 630-2/4D/16/4-7/46.5/AL-U1-300/2-60Hz	Axis-FP 710-4D/3.7-4/40/AL-U1-300/2-60Hz	Axis-FP 800-6D/0.37-4/16.5/AL-U1-300/2-60Hz	Axis-FP 800-4D/5.5-4/38.5/AL-U1-300/2-60Hz
	Axis-FP 630-2/4D/20/5.5-7/48.5/AL-U1-300/2-60Hz	Axis-FP 710-4/8D/0.8/0.2-4/16.5/AL-U1-300/2-60Hz	Axis-FP 800-6D/0.55-4/20/AL-U1-300/2-60Hz	Axis-FP 800-4/8D/1.2/0.3-4/16.5/AL-U1-300/2-60Hz
	Axis-FP 710-6D/0.25-4/16.5/AL-U1-300/2-60Hz	Axis-FP 710-4/8D/1.2/0.3-4/20/AL-U1-300/2-60Hz	Axis-FP 800-6D/0.75-4/25/AL-U1-300/2-60Hz	Axis-FP 800-4/8D/1.6/0.4-4/20/AL-U1-300/2-60Hz
	Axis-FP 710-6D/0.37-4/20/AL-U1-300/2-60Hz	Axis-FP 710-4/8D/1.6/0.4-4/25/AL-U1-300/2-60Hz	Axis-FP 800-6D/1.1-4/30/AL-U1-300/2-60Hz	Axis-FP 800-4/8D/2.2/0.55-4/23.5/AL-U1-300/2-60Hz
	Axis-FP 710-6D/0.55-4/25/AL-U1-300/2-60Hz	Axis-FP 710-4/8D/2.2/0.55-4/30/AL-U1-300/2-60Hz	Axis-FP 800-6D/1.1-4/35/AL-U1-300/2-60Hz	Axis-FP 800-4/8D/2.8/0.7-4/26.5/AL-U1-300/2-60Hz
	Axis-FP 710-6D/0.55-4/30/AL-U1-300/2-60Hz	Axis-FP 710-4/8D/2.8/0.7-4/35/AL-U1-300/2-60Hz	Axis-FP 800-6D/1.5-4/40/AL-U1-300/2-60Hz	Axis-FP 800-4/8D/2.8/0.7-4/29/AL-U1-300/2-60Hz
	Axis-FP 710-6D/0.75-4/35/AL-U1-300/2-60Hz	Axis-FP 710-4/8D/3.8/1-4/40/AL-U1-300/2-60Hz	Axis-FP 800-4D/1.1-4/16.5/AL-U1-300/2-60Hz	Axis-FP 800-4/8D/3.8/1-4/31.5/AL-U1-300/2-60Hz
	Axis-FP 710-6D/1.1-4/40/AL-U1-300/2-60Hz	Axis-FP 710-4/6D/1.1/0.3-4/16.5/AL-U1-300/2-60Hz	Axis-FP 800-4D/1.5-4/20/AL-U1-300/2-60Hz	Axis-FP 800-4/8D/5/1.3-4/34/AL-U1-300/2-60Hz
Axis-FP 710-4D/0.75-4/16.5/AL-U1-300/2-60Hz	Axis-FP 710-4/6D/1.1/0.3-4/20/AL-U1-300/2-60Hz	Axis-FP 800-4D/2.2-4/23.5/AL-U1-300/2-60Hz	Axis-FP 800-4/8D/5/1.3-4/38.5/AL-U1-300/2-60Hz	

First Issued: 2017-01-30

Latest Issue: 2023-07-06

Page: 27 of 44

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.

# Certificate of Constancy of Performance

No. 2797 CPR 664983

## EN 12101-3:2015 Product information:

Axis-FP 300°C/2h 400V~ 60Hz (Standard Models)	Models			
	Axis-FP 800-4/6D/1.1/0.3-4/16.5/AL-U1-300/2-60Hz	Axis-FP 900-4D/3.7-4/15/ST-U1-300/2-60Hz	Axis-FP 900-4/6D/6/2.2-4/21/ST-U1-300/2-60Hz	Axis-FP 1000-4/8D/11/3-8/16/ST-U1-300/2-60Hz
	Axis-FP 800-4/6D/1.5/0.37-4/20/AL-U1-300/2-60Hz	Axis-FP 900-4D/4.5-4/18/ST-U1-300/2-60Hz	Axis-FP 900-4/6D/10/3.3-4/33/ST-U1-300/2-60Hz	Axis-FP 1000-4/8D/14/3.5-8/19/ST-U1-300/2-60Hz
	Axis-FP 800-4/6D/3/1-4/26.5/AL-U1-300/2-60Hz	Axis-FP 900-4D/5.5-4/20/ST-U1-300/2-60Hz	Axis-FP 1000-6D/2.2-8/12/ST-U1-300/2-60Hz	Axis-FP 1000-4/8D/17/4.3-8/23/ST-U1-300/2-60Hz
	Axis-FP 800-4/6D/3/1-4/29/AL-U1-300/2-60Hz	Axis-FP 900-4D/7.5-4/25/ST-U1-300/2-60Hz	Axis-FP 1000-6D/3-8/15/ST-U1-300/2-60Hz	Axis-FP 1000-4/6D/10/3.3-8/15/ST-U1-300/2-60Hz
	Axis-FP 800-4/6D/4.5/1.5-4/31.5/AL-U1-300/2-60Hz	Axis-FP 900-4D/9.2-4/30/ST-U1-300/2-60Hz	Axis-FP 1000-6D/3.7-8/18/ST-U1-300/2-60Hz	Axis-FP 1000-4/6D/14/4.5-8/19/ST-U1-300/2-60Hz
	Axis-FP 800-4/6D/6/2.2-4/34/AL-U1-300/2-60Hz	Axis-FP 900-4D/11-4/35/ST-U1-300/2-60Hz	Axis-FP 1000-6D/4.5-8/22/ST-U1-300/2-60Hz	Axis-FP 1000-4/6D/16/6.5-8/21/ST-U1-300/2-60Hz
	Axis-FP 800-4/6D/6/2.2-4/38.5/AL-U1-300/2-60Hz	Axis-FP 900-4/8D/2.8/0.7-4/11/ST-U1-300/2-60Hz	Axis-FP 1000-6D/5.5-8/26/ST-U1-300/2-60Hz	Axis-FP 1120-6D/3.7-8/11/ST-U1-300/2-60Hz
	Axis-FP 900-6D/0.75-4/10/ST-U1-300/2-60Hz	Axis-FP 900-4/8D/3.8/1-4/15/ST-U1-300/2-60Hz	Axis-FP 1000-4D/7.5-8/11/ST-U1-300/2-60Hz	Axis-FP 1120-6D/4.5-8/13/ST-U1-300/2-60Hz
	Axis-FP 900-6D/1.1-4/15/ST-U1-300/2-60Hz	Axis-FP 900-4/8D/5/1.3-4/19/ST-U1-300/2-60Hz	Axis-FP 1000-4D/9.2-8/14/ST-U1-300/2-60Hz	Axis-FP 1120-6D/5.5-8/17/ST-U1-300/2-60Hz
	Axis-FP 900-6D/1.5-4/20/ST-U1-300/2-60Hz	Axis-FP 900-4/8D/7.2/1.8-4/24/ST-U1-300/2-60Hz	Axis-FP 1000-4D/11-8/16/ST-U1-300/2-60Hz	Axis-FP 1120-6D/7.5-8/21/ST-U1-300/2-60Hz
	Axis-FP 900-6D/2.2-4/28/ST-U1-300/2-60Hz	Axis-FP 900-4/8D/11/3-4/35/ST-U1-300/2-60Hz	Axis-FP 1000-4D/15-8/20/ST-U1-300/2-60Hz	Axis-FP 1120-6D/9.2-8/25/ST-U1-300/2-60Hz
	Axis-FP 900-6D/3-4/35/ST-U1-300/2-60Hz	Axis-FP 900-4/6D/3/1-4/12/ST-U1-300/2-60Hz	Axis-FP 1000-4D/18.5-8/25/ST-U1-300/2-60Hz	Axis-FP 1120-4D/11-8/10/ST-U1-300/2-60Hz
Axis-FP 900-4D/3-4/12/ST-U1-300/2-60Hz	Axis-FP 900-4/6D/4.5/1.5-4/18/ST-U1-300/2-60Hz	Axis-FP 1000-4/8D/7.2/1.8-8/10/ST-U1-300/2-60Hz	Axis-FP 1120-4D/15-8/13/ST-U1-300/2-60Hz	

First Issued: 2017-01-30

Latest Issue: 2023-07-06

Page: 28 of 44

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

# Certificate of Constancy of Performance

No. 2797 CPR 664983

## EN 12101-3:2015 Product information:

Axis-FP 300°C/2h 400V~ 60Hz (Standard Models)	Models			
	Axis-FP 1120-4D/18.5-8/16/ST-U1-300/2-60Hz	Axis-FP 1250-6D/15-4/29/ST-U1-300/2-60Hz	Axis-FP 1400-6D/11-4/15/ST-U1-300/2-60Hz	Axis-FP 1600-6D/22-4/16/ST-U1-300/2-60Hz
	Axis-FP 1120-4D/22-8/19/ST-U1-300/2-60Hz	Axis-FP 1250-4D/18.5-4/10/ST-U1-300/2-60Hz	Axis-FP 1400-6D/15-4/20/ST-U1-300/2-60Hz	Axis-FP 1600-6D/30-4/22/ST-U1-300/2-60Hz
	Axis-FP 1120-4/8D/11/3-8/10/ST-U1-300/2-60Hz	Axis-FP 1250-4D/22-4/13/ST-U1-300/2-60Hz	Axis-FP 1400-6D/18.5-4/24/ST-U1-300/2-60Hz	Axis-FP 1600-6D/37-4/25/ST-U1-300/2-60Hz
	Axis-FP 1120-4/8D/14/3.5-8/12/ST-U1-300/2-60Hz	Axis-FP 1250-4D/30-4/18/ST-U1-300/2-60Hz	Axis-FP 1400-6D/22-4/27/ST-U1-300/2-60Hz	Axis-FP 1600-6D/45-4/29/ST-U1-300/2-60Hz
	Axis-FP 1120-4/8D/17/4.3-8/14/ST-U1-300/2-60Hz	Axis-FP 1250-4/8D/20/5-4/11/ST-U1-300/2-60Hz	Axis-FP 1400-6D/30-8/23/ST-U1-300/2-60Hz	Axis-FP 1600-6D/55-8/23/ST-U1-300/2-60Hz
	Axis-FP 1120-4/8D/20/5-8/17/ST-U1-300/2-60Hz	Axis-FP 1250-4/8D/28/6.5-4/15/ST-U1-300/2-60Hz	Axis-FP 1400-6D/37-8/26/ST-U1-300/2-60Hz	
	Axis-FP 1120-4/6D/14/4.5-8/12/ST-U1-300/2-60Hz	Axis-FP 1250-4/6D/20/8.5-4/11/ST-U1-300/2-60Hz	Axis-FP 1400-6D/45-8/30/ST-U1-300/2-60Hz	
	Axis-FP 1120-4/6D/16/6.5-8/13/ST-U1-300/2-60Hz	Axis-FP 1250-4/6D/26/9-4/14/ST-U1-300/2-60Hz	Axis-FP 1400-6D/55-8/35/ST-U1-300/2-60Hz	
	Axis-FP 1120-4/6D/20/8.5-8/17/ST-U1-300/2-60Hz	Axis-FP 1400-8D/4.5-4/15/ST-U1-300/2-60Hz	Axis-FP 1600-8D/7.5-4/13/ST-U1-300/2-60Hz	
	Axis-FP 1250-6D/5.5-4/11/ST-U1-300/2-60Hz	Axis-FP 1400-8D/5.5-4/18/ST-U1-300/2-60Hz	Axis-FP 1600-8D/9.2-4/17/ST-U1-300/2-60Hz	
	Axis-FP 1250-6D/7.5-4/16/ST-U1-300/2-60Hz	Axis-FP 1400-8D/7.5-4/23/ST-U1-300/2-60Hz	Axis-FP 1600-8D/11-4/20/ST-U1-300/2-60Hz	
	Axis-FP 1250-6D/9.2-4/19/ST-U1-300/2-60Hz	Axis-FP 1400-8D/9.2-4/28/ST-U1-300/2-60Hz	Axis-FP 1600-8D/15-4/26/ST-U1-300/2-60Hz	
Axis-FP 1250-6D/11-4/22/ST-U1-300/2-60Hz	Axis-FP 1400-8D/11-4/31/ST-U1-300/2-60Hz	Axis-FP 1600-6D/18.5-4/14/ST-U1-300/2-60Hz		

First Issued: 2017-01-30

Latest Issue: 2023-07-06

Page: 29 of 44

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.

# Certificate of Constancy of Performance

No. 2797 CPR 664983

## EN 12101-3:2015 Product information:

<b>Response Delay</b>	N/A
<b>Resistance to Fire class</b>	F300 ( <i>Tested to 300°C, 120mins</i> )
<b>Motor Rating</b>	H
<b>Ancillaries</b>	Ancillaries include silencers and outlet vanes

First Issued: 2017-01-30

Latest Issue: 2023-07-06

Page: 30 of 44

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.

# Certificate of Constancy of Performance

No. 2797 CPR 664983

## EN 12101-3:2015 Product information:

Axis-FP 300°C/2h 400V~ 60Hz (Short Models)	Models			
	Axis-FP 400K-4D/0.37-3/30/AL-U1-300/2-60Hz	Axis-FP 400K-2/4D/1.5/0.37-3/40/AL-U1-300/2-60Hz	Axis-FP 450K-2D/3-4/40/AL-U1-300/2-60Hz	Axis-FP 500K-4D/0.75-4/45/AL-U1-300/2-60Hz
	Axis-FP 400K-4D/0.37-3/35/AL-U1-300/2-60Hz	Axis-FP 400K-2/4D/2.5/0.65-3/45/AL-U1-300/2-60Hz	Axis-FP 450K-2D/3.7-4/45/AL-U1-300/2-60Hz	Axis-FP 500K-2D/1.1-3/21.5/AL-U1-300/2-60Hz
	Axis-FP 400K-4D/0.37-3/40/AL-U1-300/2-60Hz	Axis-FP 400K-2/4D/2.5/0.65-4/45/AL-U1-300/2-60Hz	Axis-FP 450K-2/4D/1.1/0.25-3/25/AL-U1-300/2-60Hz	Axis-FP 500K-2D/1.5-3/25/AL-U1-300/2-60Hz
	Axis-FP 400K-4D/0.37-3/45/AL-U1-300/2-60Hz	Axis-FP 450K-4D/0.37-3/25/AL-U1-300/2-60Hz	Axis-FP 450K-2/4D/1.1/0.25-3/30/AL-U1-300/2-60Hz	Axis-FP 500K-2D/2.2-3/30/AL-U1-300/2-60Hz
	Axis-FP 400K-4D/0.37-4/45/AL-U1-300/2-60Hz	Axis-FP 450K-4D/0.37-3/30/AL-U1-300/2-60Hz	Axis-FP 450K-2/4D/1.5/0.37-3/35/AL-U1-300/2-60Hz	Axis-FP 500K-2D/3-5/31.5/AL-U1-300/2-60Hz
	Axis-FP 400K-2D/0.55-3/25/AL-U1-300/2-60Hz	Axis-FP 450K-4D/0.37-3/35/AL-U1-300/2-60Hz	Axis-FP 450K-2/4D/2.5/0.65-3/40/AL-U1-300/2-60Hz	Axis-FP 500K-2D/3.7-5/35/AL-U1-300/2-60Hz
	Axis-FP 400K-2D/0.75-3/30/AL-U1-300/2-60Hz	Axis-FP 450K-4D/0.37-3/40/AL-U1-300/2-60Hz	Axis-FP 450K-2/4D/3.1/0.8-4/40/AL-U1-300/2-60Hz	Axis-FP 500K-2D/4.5-5/40/AL-U1-300/2-60Hz
	Axis-FP 400K-2D/1.1-3/35/AL-U1-300/2-60Hz	Axis-FP 450K-4D/0.37-4/40/AL-U1-300/2-60Hz	Axis-FP 450K-2/4D/4.4/1.1-4/45/AL-U1-300/2-60Hz	Axis-FP 500K-2/4D/1.1/0.25-3/21.5/AL-U1-300/2-60Hz
	Axis-FP 400K-2D/1.5-3/40/AL-U1-300/2-60Hz	Axis-FP 450K-4D/0.55-4/45/AL-U1-300/2-60Hz	Axis-FP 500K-4D/0.37-3/25/AL-U1-300/2-60Hz	Axis-FP 500K-2/4D/1.5/0.37-3/25/AL-U1-300/2-60Hz
	Axis-FP 400K-2D/2.2-3/45/AL-U1-300/2-60Hz	Axis-FP 450K-2D/0.75-3/25/AL-U1-300/2-60Hz	Axis-FP 500K-4D/0.37-3/30/AL-U1-300/2-60Hz	Axis-FP 500K-2/4D/2.5/0.65-3/30/AL-U1-300/2-60Hz
	Axis-FP 400K-2D/2.2-4/45/AL-U1-300/2-60Hz	Axis-FP 450K-2D/1.1-3/30/AL-U1-300/2-60Hz	Axis-FP 500K-4D/0.37-3/35/AL-U1-300/2-60Hz	Axis-FP 500K-2/4D/3.1/0.8-5/31.5/AL-U1-300/2-60Hz
	Axis-FP 400K-2/4D/1.1/0.25-3/30/AL-U1-300/2-60Hz	Axis-FP 450K-2D/1.5-3/35/AL-U1-300/2-60Hz	Axis-FP 500K-4D/0.37-3/40/AL-U1-300/2-60Hz	Axis-FP 500K-2/4D/4.4/1.1-5/35/AL-U1-300/2-60Hz
Axis-FP 400K-2/4D/1.1/0.25-3/35/AL-U1-300/2-60Hz	Axis-FP 450K-2D/2.2-3/40/AL-U1-300/2-60Hz	Axis-FP 500K-4D/0.55-3/45/AL-U1-300/2-60Hz	Axis-FP 500K-2/4D/4.4/1.1-5/40/AL-U1-300/2-60Hz	

First Issued: 2017-01-30

Latest Issue: 2023-07-06

Page: 31 of 44

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

# Certificate of Constancy of Performance

No. 2797 CPR 664983

## EN 12101-3:2015 Product information:

Axis-FP 300°C/2h 400V~ 60Hz (Short Models)	Models			
	Axis-FP 560K-4D/0.37-3/25/AL-U1-300/2-60Hz	Axis-FP 560K-2/4D/3.1/0.8-5/28.5/AL-U1-300/2-60Hz	Axis-FP 630K-2D/3.7-5/28.5/AL-U1-300/2-60Hz	Axis-FP 630K-4/8D/1.2/0.3-4/40/AL-U1-300/2-60Hz
	Axis-FP 560K-4D/0.37-3/30/AL-U1-300/2-60Hz	Axis-FP 560K-2/4D/4.4/1.1-5/32.5/AL-U1-300/2-60Hz	Axis-FP 630K-2D/4.5-5/31.5/AL-U1-300/2-60Hz	Axis-FP 630K-4/8D/1.2/0.3-3/32.5/AL-U1-300/2-60Hz
	Axis-FP 560K-4D/0.37-3/35/AL-U1-300/2-60Hz	Axis-FP 560K-2/4D/4.4/1.1-5/35/AL-U1-300/2-60Hz	Axis-FP 630K-2D/5.5-5/35/AL-U1-300/2-60Hz	Axis-FP 630K-4/8D/1.6/0.4-3/37.5/AL-U1-300/2-60Hz
	Axis-FP 560K-4D/0.55-3/40/AL-U1-300/2-60Hz	Axis-FP 560K-2/4D/6/1.5-5/38.5/AL-U1-300/2-60Hz	Axis-FP 630K-2D/7.5-5/38.5/AL-U1-300/2-60Hz	Axis-FP 630K-4/8D/2.2/0.55-3/45/AL-U1-300/2-60Hz
	Axis-FP 560K-4D/0.75-3/45/AL-U1-300/2-60Hz	Axis-FP 560K-2/4D/8/2-5/43.5/AL-U1-300/2-60Hz	Axis-FP 630K-2D/9.2-7/36/AL-U1-300/2-60Hz	Axis-FP 630K-4/6D/0.55/0.2-4/25/AL-U1-300/2-60Hz
	Axis-FP 560K-4D/1.1-4/45/AL-U1-300/2-60Hz	Axis-FP 630K-4D/0.37-4/25/AL-U1-300/2-60Hz	Axis-FP 630K-2D/11-7/38.5/AL-U1-300/2-60Hz	Axis-FP 630K-4/6D/0.55/0.2-4/30/AL-U1-300/2-60Hz
	Axis-FP 560K-2D/2.2-5/25/AL-U1-300/2-60Hz	Axis-FP 630K-4D/0.55-4/30/AL-U1-300/2-60Hz	Axis-FP 630K-2D/15-7/41/AL-U1-300/2-60Hz	Axis-FP 630K-4/6D/1.1/0.3-4/40/AL-U1-300/2-60Hz
	Axis-FP 560K-2D/3-5/28.5/AL-U1-300/2-60Hz	Axis-FP 630K-4D/0.75-4/35/AL-U1-300/2-60Hz	Axis-FP 630K-2D/15-7/43.5/AL-U1-300/2-60Hz	Axis-FP 630K-4/6D/1.1/0.3-3/32.5/AL-U1-300/2-60Hz
	Axis-FP 560K-2D/3.7-5/32.5/AL-U1-300/2-60Hz	Axis-FP 630K-4D/1.1-4/40/AL-U1-300/2-60Hz	Axis-FP 630K-2D/18.5-7/46.5/AL-U1-300/2-60Hz	Axis-FP 630K-4/6D/1.5/0.37-3/37.5/AL-U1-300/2-60Hz
	Axis-FP 560K-2D/4.5-5/35/AL-U1-300/2-60Hz	Axis-FP 630K-4D/1.1-3/32.5/AL-U1-300/2-60Hz	Axis-FP 630K-2D/18.5-7/48.5/AL-U1-300/2-60Hz	Axis-FP 630K-4/6D/3/1-4/45/AL-U1-300/2-60Hz
	Axis-FP 560K-2D/5.5-5/38.5/AL-U1-300/2-60Hz	Axis-FP 630K-4D/1.5-3/37.5/AL-U1-300/2-60Hz	Axis-FP 630K-4/8D/0.6/0.15-4/25/AL-U1-300/2-60Hz	Axis-FP 630K-2/4D/2.5/0.65-5/25/AL-U1-300/2-60Hz
	Axis-FP 560K-2D/7.5-5/43.5/AL-U1-300/2-60Hz	Axis-FP 630K-4D/2.2-3/45/AL-U1-300/2-60Hz	Axis-FP 630K-4/8D/0.6/0.15-4/30/AL-U1-300/2-60Hz	Axis-FP 630K-2/4D/4.4/1.1-5/28.5/AL-U1-300/2-60Hz
Axis-FP 560K-2/4D/2.5/0.6-5/25/AL-U1-300/2-60Hz	Axis-FP 630K-2D/2.2-5/25/AL-U1-300/2-60Hz	Axis-FP 630K-4/8D/0.8/0.2-4/35/AL-U1-300/2-60Hz	Axis-FP 630K-2/4D/4.4/1.1-5/31.5/AL-U1-300/2-60Hz	

First Issued: 2017-01-30

Latest Issue: 2023-07-06

Page: 32 of 44

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).



# Certificate of Constancy of Performance

No. 2797 CPR 664983

## EN 12101-3:2015 Product information:

Axis-FP 300°C/2h 400V~ 60Hz (Short Models)	Models			
	Axis-FP 630K-2/4D/6/1.5-5/35/AL-U1-300/2-60Hz	Axis-FP 710K-4D/1.1-4/20/AL-U1-300/2-60Hz	Axis-FP 710K-4/6D/1.5/0.37-4/25/AL-U1-300/2-60Hz	Axis-FP 800K-4D/3-4/26.5/AL-U1-300/2-60Hz
	Axis-FP 630K-2/4D/8/2-5/38.5/AL-U1-300/2-60Hz	Axis-FP 710K-4D/1.5-4/25/AL-U1-300/2-60Hz	Axis-FP 710K-4/6D/3/1-4/30/AL-U1-300/2-60Hz	Axis-FP 800K-4D/3-4/29/AL-U1-300/2-60Hz
	Axis-FP 630K-2/4D/12/3-7/38.5/AL-U1-300/2-60Hz	Axis-FP 710K-4D/2.2-4/30/AL-U1-300/2-60Hz	Axis-FP 710K-4/6D/3/1-4/35/AL-U1-300/2-60Hz	Axis-FP 800K-4D/3.7-4/31.5/AL-U1-300/2-60Hz
	Axis-FP 630K-2/4D/16/4-7/43.5/AL-U1-300/2-60Hz	Axis-FP 710K-4D/3-4/35/AL-U1-300/2-60Hz	Axis-FP 710K-4/6D/4.5/1.5-4/40/AL-U1-300/2-60Hz	Axis-FP 800K-4D/4.5-4/34/AL-U1-300/2-60Hz
	Axis-FP 630K-2/4D/16/4-7/46.5/AL-U1-300/2-60Hz	Axis-FP 710K-4D/3.7-4/40/AL-U1-300/2-60Hz	Axis-FP 800K-6D/0.37-4/16.5/AL-U1-300/2-60Hz	Axis-FP 800K-4D/5.5-4/38.5/AL-U1-300/2-60Hz
	Axis-FP 630K-2/4D/20/5.5-7/48.5/AL-U1-300/2-60Hz	Axis-FP 710K-4/8D/0.8/0.2-4/16.5/AL-U1-300/2-60Hz	Axis-FP 800K-6D/0.55-4/20/AL-U1-300/2-60Hz	Axis-FP 800K-4/8D/1.2/0.3-4/16.5/AL-U1-300/2-60Hz
	Axis-FP 710K-6D/0.25-4/16.5/AL-U1-300/2-60Hz	Axis-FP 710K-4/8D/1.2/0.3-4/20/AL-U1-300/2-60Hz	Axis-FP 800K-6D/0.75-4/25/AL-U1-300/2-60Hz	Axis-FP 800K-4/8D/1.6/0.4-4/20/AL-U1-300/2-60Hz
	Axis-FP 710K-6D/0.37-4/20/AL-U1-300/2-60Hz	Axis-FP 710K-4/8D/1.6/0.4-4/25/AL-U1-300/2-60Hz	Axis-FP 800K-6D/1.1-4/30/AL-U1-300/2-60Hz	Axis-FP 800K-4/8D/2.2/0.55-4/23.5/AL-U1-300/2-60Hz
	Axis-FP 710K-6D/0.55-4/25/AL-U1-300/2-60Hz	Axis-FP 710K-4/8D/2.2/0.55-4/30/AL-U1-300/2-60Hz	Axis-FP 800K-6D/1.1-4/35/AL-U1-300/2-60Hz	Axis-FP 800K-4/8D/2.8/0.7-4/26.5/AL-U1-300/2-60Hz
	Axis-FP 710K-6D/0.55-4/30/AL-U1-300/2-60Hz	Axis-FP 710K-4/8D/2.8/0.7-4/35/AL-U1-300/2-60Hz	Axis-FP 800K-6D/1.5-4/40/AL-U1-300/2-60Hz	Axis-FP 800K-4/8D/2.8/0.7-4/29/AL-U1-300/2-60Hz
	Axis-FP 710K-6D/0.75-4/35/AL-U1-300/2-60Hz	Axis-FP 710K-4/8D/3.8/1-4/40/AL-U1-300/2-60Hz	Axis-FP 800K-4D/1.1-4/16.5/AL-U1-300/2-60Hz	Axis-FP 800K-4/8D/3.8/1-4/31.5/AL-U1-300/2-60Hz
	Axis-FP 710K-6D/1.1-4/40/AL-U1-300/2-60Hz	Axis-FP 710K-4/6D/1.1/0.3-4/16.5/AL-U1-300/2-60Hz	Axis-FP 800K-4D/1.5-4/20/AL-U1-300/2-60Hz	Axis-FP 800K-4/8D/5/1.3-4/34/AL-U1-300/2-60Hz
Axis-FP 710K-4D/0.75-4/16.5/AL-U1-300/2-60Hz	Axis-FP 710K-4/6D/1.1/0.3-4/20/AL-U1-300/2-60Hz	Axis-FP 800K-4D/2.2-4/23.5/AL-U1-300/2-60Hz	Axis-FP 800K-4/8D/5/1.3-4/38.5/AL-U1-300/2-60Hz	

First Issued: 2017-01-30

Latest Issue: 2023-07-06

Page: 33 of 44

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.

# Certificate of Constancy of Performance

No. 2797 CPR 664983

## EN 12101-3:2015 Product information:

Axis-FP 300°C/2h 400V~ 60Hz (Short Models)	Models			
	Axis-FP 800K-4/6D/1.1/0.3-4/16.5/AL-U1-300/2-60Hz	Axis-FP 900K-4D/3.7-4/15/ST-U1-300/2-60Hz	Axis-FP 900K-4/6D/6/2.2-4/21/ST-U1-300/2-60Hz	Axis-FP 1000K-4/8D/11/3-8/16/ST-U1-300/2-60Hz
	Axis-FP 800K-4/6D/1.5/0.37-4/20/AL-U1-300/2-60Hz	Axis-FP 900K-4D/4.5-4/18/ST-U1-300/2-60Hz	Axis-FP 900K-4/6D/10/3.3-4/33/ST-U1-300/2-60Hz	Axis-FP 1000K-4/8D/14/3.5-8/19/ST-U1-300/2-60Hz
	Axis-FP 800K-4/6D/3/1-4/26.5/AL-U1-300/2-60Hz	Axis-FP 900K-4D/5.5-4/20/ST-U1-300/2-60Hz	Axis-FP 1000K-6D/2.2-8/12/ST-U1-300/2-60Hz	Axis-FP 1000K-4/8D/17/4.3-8/23/ST-U1-300/2-60Hz
	Axis-FP 800K-4/6D/3/1-4/29/AL-U1-300/2-60Hz	Axis-FP 900K-4D/7.5-4/25/ST-U1-300/2-60Hz	Axis-FP 1000K-6D/3-8/15/ST-U1-300/2-60Hz	Axis-FP 1000K-4/6D/10/3.3-8/15/ST-U1-300/2-60Hz
	Axis-FP 800K-4/6D/4.5/1.5-4/31.5/AL-U1-300/2-60Hz	Axis-FP 900K-4D/9.2-4/30/ST-U1-300/2-60Hz	Axis-FP 1000K-6D/3.7-8/18/ST-U1-300/2-60Hz	Axis-FP 1000K-4/6D/14/4.5-8/19/ST-U1-300/2-60Hz
	Axis-FP 800K-4/6D/6/2.2-4/34/AL-U1-300/2-60Hz	Axis-FP 900K-4D/11-4/35/ST-U1-300/2-60Hz	Axis-FP 1000K-6D/4.5-8/22/ST-U1-300/2-60Hz	Axis-FP 1000K-4/6D/16/6.5-8/21/ST-U1-300/2-60Hz
	Axis-FP 800K-4/6D/6/2.2-4/38.5/AL-U1-300/2-60Hz	Axis-FP 900K-4/8D/2.8/0.7-4/11/ST-U1-300/2-60Hz	Axis-FP 1000K-6D/5.5-8/26/ST-U1-300/2-60Hz	Axis-FP 1120K-6D/3.7-8/11/ST-U1-300/2-60Hz
	Axis-FP 900K-6D/0.75-4/10/ST-U1-300/2-60Hz	Axis-FP 900K-4/8D/3.8/1-4/15/ST-U1-300/2-60Hz	Axis-FP 1000K-4D/7.5-8/11/ST-U1-300/2-60Hz	Axis-FP 1120K-6D/4.5-8/13/ST-U1-300/2-60Hz
	Axis-FP 900K-6D/1.1-4/15/ST-U1-300/2-60Hz	Axis-FP 900K-4/8D/5/1.3-4/19/ST-U1-300/2-60Hz	Axis-FP 1000K-4D/9.2-8/14/ST-U1-300/2-60Hz	Axis-FP 1120K-6D/5.5-8/17/ST-U1-300/2-60Hz
	Axis-FP 900K-6D/1.5-4/20/ST-U1-300/2-60Hz	Axis-FP 900K-4/8D/7.2/1.8-4/24/ST-U1-300/2-60Hz	Axis-FP 1000K-4D/11-8/16/ST-U1-300/2-60Hz	Axis-FP 1120K-6D/7.5-8/21/ST-U1-300/2-60Hz
	Axis-FP 900K-6D/2.2-4/28/ST-U1-300/2-60Hz	Axis-FP 900K-4/8D/11/3-4/35/ST-U1-300/2-60Hz	Axis-FP 1000K-4D/15-8/20/ST-U1-300/2-60Hz	Axis-FP 1120K-6D/9.2-8/25/ST-U1-300/2-60Hz
	Axis-FP 900K-6D/3-4/35/ST-U1-300/2-60Hz	Axis-FP 900K-4/6D/3/1-4/12/ST-U1-300/2-60Hz	Axis-FP 1000K-4D/18.5-8/25/ST-U1-300/2-60Hz	Axis-FP 1120K-4D/11-8/10/ST-U1-300/2-60Hz
	Axis-FP 900K-4D/3-4/12/ST-U1-300/2-60Hz	Axis-FP 900K-4/6D/4.5/1.5-4/18/ST-U1-300/2-60Hz	Axis-FP 1000K-4/8D/7.2/1.8-8/10/ST-U1-300/2-60Hz	Axis-FP 1120K-4D/15-8/13/ST-U1-300/2-60Hz

First Issued: 2017-01-30

Latest Issue: 2023-07-06

Page: 34 of 44

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.

# Certificate of Constancy of Performance

No. 2797 CPR 664983

## EN 12101-3:2015 Product information:

<b>Axis-FP 300°C/2h 400V~ 60Hz (Short Models)</b>	<b>Models</b>			
	Axis-FP 1120K-4D/18.5-8/16/ST-U1-300/2-60Hz	Axis-FP 1250K-6D/15-4/29/ST-U1-300/2-60Hz	Axis-FP 1400K-6D/11-4/15/ST-U1-300/2-60Hz	Axis-FP 1600K-6D/22-4/16/ST-U1-300/2-60Hz
	Axis-FP 1120K-4D/22-8/19/ST-U1-300/2-60Hz	Axis-FP 1250K-4D/18.5-4/10/ST-U1-300/2-60Hz	Axis-FP 1400K-6D/15-4/20/ST-U1-300/2-60Hz	Axis-FP 1600K-6D/30-4/22/ST-U1-300/2-60Hz
	Axis-FP 1120K-4/8D/11/3-8/10/ST-U1-300/2-60Hz	Axis-FP 1250K-4D/22-4/13/ST-U1-300/2-60Hz	Axis-FP 1400K-6D/18.5-4/24/ST-U1-300/2-60Hz	Axis-FP 1600K-6D/37-4/25/ST-U1-300/2-60Hz
	Axis-FP 1120K-4/8D/14/3.5-8/12/ST-U1-300/2-60Hz	Axis-FP 1250K-4D/30-4/18/ST-U1-300/2-60Hz	Axis-FP 1400K-6D/22-4/27/ST-U1-300/2-60Hz	Axis-FP 1600K-6D/45-4/29/ST-U1-300/2-60Hz
	Axis-FP 1120K-4/8D/17/4.3-8/14/ST-U1-300/2-60Hz	Axis-FP 1250K-4/8D/20/5-4/11/ST-U1-300/2-60Hz	Axis-FP 1400K-6D/30-8/23/ST-U1-300/2-60Hz	Axis-FP 1600K-6D/55-8/23/ST-U1-300/2-60Hz
	Axis-FP 1120K-4/8D/20/5-8/17/ST-U1-300/2-60Hz	Axis-FP 1250K-4/8D/28/6.5-4/15/ST-U1-300/2-60Hz	Axis-FP 1400K-6D/37-8/26/ST-U1-300/2-60Hz	
	Axis-FP 1120K-4/6D/14/4.5-8/12/ST-U1-300/2-60Hz	Axis-FP 1250K-4/6D/20/8.5-4/11/ST-U1-300/2-60Hz	Axis-FP 1400K-6D/45-8/30/ST-U1-300/2-60Hz	
	Axis-FP 1120K-4/6D/16/6.5-8/13/ST-U1-300/2-60Hz	Axis-FP 1250K-4/6D/26/9-4/14/ST-U1-300/2-60Hz	Axis-FP 1400K-6D/55-8/35/ST-U1-300/2-60Hz	
	Axis-FP 1120K-4/6D/20/8.5-8/17/ST-U1-300/2-60Hz	Axis-FP 1400K-8D/4.5-4/15/ST-U1-300/2-60Hz	Axis-FP 1600K-8D/7.5-4/13/ST-U1-300/2-60Hz	
	Axis-FP 1250K-6D/5.5-4/11/ST-U1-300/2-60Hz	Axis-FP 1400K-8D/5.5-4/18/ST-U1-300/2-60Hz	Axis-FP 1600K-8D/9.2-4/17/ST-U1-300/2-60Hz	
	Axis-FP 1250K-6D/7.5-4/16/ST-U1-300/2-60Hz	Axis-FP 1400K-8D/7.5-4/23/ST-U1-300/2-60Hz	Axis-FP 1600K-8D/11-4/20/ST-U1-300/2-60Hz	
	Axis-FP 1250K-6D/9.2-4/19/ST-U1-300/2-60Hz	Axis-FP 1400K-8D/9.2-4/28/ST-U1-300/2-60Hz	Axis-FP 1600K-8D/15-4/26/ST-U1-300/2-60Hz	
	Axis-FP 1250K-6D/11-4/22/ST-U1-300/2-60Hz	Axis-FP 1400K-8D/11-4/31/ST-U1-300/2-60Hz	Axis-FP 1600K-6D/18.5-4/14/ST-U1-300/2-60Hz	

First Issued: 2017-01-30

Latest Issue: 2023-07-06

Page: 35 of 44

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

# Certificate of Constancy of Performance

No. 2797 CPR 664983

## EN 12101-3:2015 Product information:

<b>Response Delay</b>	N/A
<b>Resistance to Fire class</b>	F300 ( <i>Tested to 300°C, 120mins</i> )
<b>Motor Rating</b>	H
<b>Ancillaries</b>	Ancillaries include silencers and outlet vanes

First Issued: 2017-01-30

Latest Issue: 2023-07-06

Page: 36 of 44

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.

# Certificate of Constancy of Performance

No. 2797 CPR 664983

## EN 12101-3:2015 Product information:

Axis-RF 300°C/2h 400V~ 50Hz	Models			
	Axis-RF 400-4D/0.37-6/30/AL-U1-300/2	Axis-RF 500-4D/0.37-6/35/AL-U1-300/2	Axis-RF 630-4D/1.1-8/40/AL-U1-300/2	Axis-RF 630-4/6D/0.75/0.25-8/35/AL-U1-300/2
	Axis-RF 400-4D/0.37-6/35/AL-U1-300/2	Axis-RF 500-4D/0.37-6/40/AL-U1-300/2	Axis-RF 630-4D/1.1-6/32.5/AL-U1-300/2	Axis-RF 630-4/6D/1.1/0.3-8/40/AL-U1-300/2
	Axis-RF 400-4D/0.37-6/40/AL-U1-300/2	Axis-RF 500-4D/0.55-6/45/AL-U1-300/2	Axis-RF 630-4D/1.5-6/37.5/AL-U1-300/2	Axis-RF 630-4/6D/1.1/0.3-6/32.5/AL-U1-300/2
	Axis-RF 400-4D/0.37-6/45/AL-U1-300/2	Axis-RF 500-4D/0.55-8/45/AL-U1-300/2	Axis-RF 630-4D/2.2-6/45/AL-U1-300/2	Axis-RF 630-4/6D/1.5/0.37-6/37.5/AL-U1-300/2
	Axis-RF 400-4D/0.37-8/45/AL-U1-300/2	Axis-RF 560-4D/0.37-6/25/AL-U1-300/2	Axis-RF 630-4/8D/0.6/0.15-8/25/AL-U1-300/2	Axis-RF 630-4/6D/2.2/0.7-6/45/AL-U1-300/2
	Axis-RF 450-4D/0.37-6/25/AL-U1-300/2	Axis-RF 560-4D/0.37-6/30/AL-U1-300/2	Axis-RF 630-4/8D/0.6/0.15-8/30/AL-U1-300/2	Axis-RF 710-6D/0.25-6/20/AL-U1-300/2
	Axis-RF 450-4D/0.37-6/30/AL-U1-300/2	Axis-RF 560-4D/0.37-6/35/AL-U1-300/2	Axis-RF 630-4/8D/0.8/0.2-8/35/AL-U1-300/2	Axis-RF 710-6D/0.25-6/25/AL-U1-300/2
	Axis-RF 450-4D/0.37-6/35/AL-U1-300/2	Axis-RF 560-4D/0.55-6/40/AL-U1-300/2	Axis-RF 630-4/8D/1.2/0.3-8/40/AL-U1-300/2	Axis-RF 710-6D/0.37-6/30/AL-U1-300/2
	Axis-RF 450-4D/0.37-6/40/AL-U1-300/2	Axis-RF 560-4D/0.55-6/45/AL-U1-300/2	Axis-RF 630-4/8D/1.2/0.3-6/32.5/AL-U1-300/2	Axis-RF 710-6D/0.55-6/35/AL-U1-300/2
	Axis-RF 450-4D/0.37-8/40/AL-U1-300/2	Axis-RF 560-4D/0.75-8/45/AL-U1-300/2	Axis-RF 630-4/8D/1.6/0.4-6/37.5/AL-U1-300/2	Axis-RF 710-6D/0.75-6/40/AL-U1-300/2
	Axis-RF 450-4D/0.55-8/45/AL-U1-300/2	Axis-RF 630-4D/0.37-8/25/AL-U1-300/2	Axis-RF 630-4/8D/2.2/0.55-6/45/AL-U1-300/2	Axis-RF 710-6D/1.1-6/45/AL-U1-300/2
	Axis-RF 500-4D/0.37-6/25/AL-U1-300/2	Axis-RF 630-4D/0.55-8/30/AL-U1-300/2	Axis-RF 630-4/6D/0.55/0.2-8/25/AL-U1-300/2	Axis-RF 710-4D/0.75-6/20/AL-U1-300/2
Axis-RF 500-4D/0.37-6/30/AL-U1-300/2	Axis-RF 630-4D/0.75-8/35/AL-U1-300/2	Axis-RF 630-4/6D/0.55/0.2-8/30/AL-U1-300/2	Axis-RF 710-4D/1.1-6/25/AL-U1-300/2	

First Issued: 2017-01-30

Latest Issue: 2023-07-06

Page: 37 of 44

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

# Certificate of Constancy of Performance

No. 2797 CPR 664983

## EN 12101-3:2015 Product information:

Axis-RF 300°C/2h 400V~ 50Hz	Models			
	Axis-RF 710-4D/1.5-6/30/AL-U1-300/2	Axis-RF 710-4/6D/2.2/0.7-6/35/AL-U1-300/2	Axis-RF 800-4D/2.2-6/30/AL-U1-300/2	Axis-RF 800-4/8D/5/1.3-6/45/AL-U1-300/2
	Axis-RF 710-4D/2.2-6/35/AL-U1-300/2	Axis-RF 710-4/6D/2.2/0.7-6/40/AL-U1-300/2	Axis-RF 800-4D/3-6/32.5/AL-U1-300/2	Axis-RF 800-4/6D/1.1/0.3-6/20/AL-U1-300/2
	Axis-RF 710-4D/2.2-6/40/AL-U1-300/2	Axis-RF 710-4/6D/3/1-6/45/AL-U1-300/2	Axis-RF 800-4D/3-6/35/AL-U1-300/2	Axis-RF 800-4/6D/1.5/0.37-6/25/AL-U1-300/2
	Axis-RF 710-4D/3-6/45/AL-U1-300/2	Axis-RF 800-6D/0.37-6/20/AL-U1-300/2	Axis-RF 800-4D/4-6/37.5/AL-U1-300/2	Axis-RF 800-4/6D/2.2/0.7-6/30/AL-U1-300/2
	Axis-RF 710-4/8D/0.8/0.2-6/20/AL-U1-300/2	Axis-RF 800-6D/0.55-6/25/AL-U1-300/2	Axis-RF 800-4D/4-6/40/AL-U1-300/2	Axis-RF 800-4/6D/2.2/0.7-6/32.5/AL-U1-300/2
	Axis-RF 710-4/8D/1.2/0.3-6/25/AL-U1-300/2	Axis-RF 800-6D/0.75-6/30/AL-U1-300/2	Axis-RF 800-4D/5.5-6/45/AL-U1-300/2	Axis-RF 800-4/6D/3/1-6/35/AL-U1-300/2
	Axis-RF 710-4/8D/1.6/0.4-6/30/AL-U1-300/2	Axis-RF 800-6D/0.75-6/32.5/AL-U1-300/2	Axis-RF 800-4/8D/1.2/0.3-6/20/AL-U1-300/2	Axis-RF 800-4/6D/3/1-6/37.5/AL-U1-300/2
	Axis-RF 710-4/8D/2.2/0.55-6/35/AL-U1-300/2	Axis-RF 800-6D/1.1-6/35/AL-U1-300/2	Axis-RF 800-4/8D/1.6/0.4-6/25/AL-U1-300/2	Axis-RF 800-4/6D/4.5/1.5-6/45/AL-U1-300/2
	Axis-RF 710-4/8D/2.2/0.55-6/40/AL-U1-300/2	Axis-RF 800-6D/1.1-6/37.5/AL-U1-300/2	Axis-RF 800-4/8D/2.2/0.55-6/30/AL-U1-300/2	Axis-RF 900-6D/0.75-8/12/ST-U2-300/2
	Axis-RF 710-4/8D/2.8/0.7-6/45/AL-U1-300/2	Axis-RF 800-6D/1.1-6/40/AL-U1-300/2	Axis-RF 800-4/8D/2.8/0.7-6/32.5/AL-U1-300/2	Axis-RF 900-6D/1.1-8/17/ST-U2-300/2
	Axis-RF 710-4/6D/0.75/0.25-6/20/AL-U1-300/2	Axis-RF 800-6D/1.5-6/45/AL-U1-300/2	Axis-RF 800-4/8D/2.8/0.7-6/35/AL-U1-300/2	Axis-RF 900-6D/1.5-8/23/ST-U2-300/2
	Axis-RF 710-4/6D/1.1/0.3-6/25/AL-U1-300/2	Axis-RF 800-4D/1.1-6/20/AL-U1-300/2	Axis-RF 800-4/8D/3.8/1-6/37.5/AL-U1-300/2	Axis-RF 900-6D/2.2-8/30/ST-U2-300/2
Axis-RF 710-4/6D/1.5/0.37-6/30/AL-U1-300/2	Axis-RF 800-4D/1.5-6/25/AL-U1-300/2	Axis-RF 800-4/8D/3.8/1-6/40/AL-U1-300/2	Axis-RF 900-6D/3-8/35/ST-U2-300/2	

First Issued: 2017-01-30

Latest Issue: 2023-07-06

Page: 38 of 44

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.

# Certificate of Constancy of Performance

No. 2797 CPR 664983

## EN 12101-3:2015 Product information:

Axis-RF 300°C/2h 400V~ 50Hz	Models	
	Axis-RF 900-4D/3-8/13/ST-U2-300/2	Axis-RF 1000-4D/5.5-8/15/ST-U2-300/2
	Axis-RF 900-4D/4-8/16/ST-U2-300/2	Axis-RF 1000-4D/7.5-8/19/ST-U2-300/2
	Axis-RF 900-4D/5.5-8/21/ST-U2-300/2	Axis-RF 1000-4D/9.2-8/22/ST-U2-300/2
	Axis-RF 900-4D/7.5-8/28/ST-U2-300/2	Axis-RF 1000-4/8D/5/1.3-8/14/ST-U2-300/2
	Axis-RF 900-4/8D/2.8/0.7-8/12/ST-U2-300/2	Axis-RF 1000-4/8D/7.2/1.8-8/18/ST-U2-300/2
	Axis-RF 900-4/8D/3.8/1-8/15/ST-U2-300/2	Axis-RF 1000-4/6D/6/2.2-8/15/ST-U2-300/2
	Axis-RF 900-4/8D/5/1.3-8/20/ST-U2-300/2	Axis-RF 1120-6D/2.2-8/13/ST-U2-300/2
	Axis-RF 900-4/8D/7.2/1.8-8/28/ST-U2-300/2	Axis-RF 1120-6D/3-8/17/ST-U2-300/2
	Axis-RF 900-4/6D/3/1-8/12/ST-U2-300/2	Axis-RF 1120-6D/4-8/21/ST-U2-300/2
	Axis-RF 900-4/6D/4.5/1.5-8/16/ST-U2-300/2	Axis-RF 1120-6D/5.5-8/27/ST-U2-300/2
	Axis-RF 900-4/6D/6/2.2-8/21/ST-U2-300/2	Axis-RF 1120-6D/7.5-8/35/ST-U2-300/2
	Axis-RF 1000-6D/1.5-8/16/ST-U2-300/2	Axis-RF 1120-4D/7.5-8/12/ST-U2-300/2
	Axis-RF 1000-6D/2.2-8/20/ST-U2-300/2	Axis-RF 1120-4D/9.2-8/14/ST-U2-300/2
	Axis-RF 1000-6D/3-8/25/ST-U2-300/2	Axis-RF 1120-4/8D/7.2/1.8-8/11/ST-U2-300/2
	Axis-RF 1000-6D/4-8/32/ST-U2-300/2	Axis-RF 1250-6D/5.5-8/12/ST-U2-300/2

## EN 12101-3:2015 Product information:

<b>Response Delay</b>	N/A
<b>Resistance to Fire class</b>	F300 (Tested to 300°C, 120mins)
<b>Motor Rating</b>	H
<b>Ancillaries</b>	Ancillaries include silencers and outlet vanes

First Issued: 2017-01-30

Latest Issue: 2023-07-06

Page: 39 of 44

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.

# Certificate of Constancy of Performance

No. 2797 CPR 664983

## EN 12101-3:2015 Product information:

<b>Axis-RF 300°C/2h 400V~ 60Hz</b>	<b>Models</b>			
	Axis-RF 400-4D/0.37-3/30/AL-U1-300/2-60Hz	Axis-RF 500-4D/0.37-3/35/AL-U1-300/2-60Hz	Axis-RF 630-4D/1.1-4/40/AL-U1-300/2-60Hz	Axis-RF 630-4/6D/1.1/0.3-4/40/AL-U1-300/2-60Hz
	Axis-RF 400-4D/0.37-3/35/AL-U1-300/2-60Hz	Axis-RF 500-4D/0.37-3/40/AL-U1-300/2-60Hz	Axis-RF 630-4D/1.1-3/32.5/AL-U1-300/2-60Hz	Axis-RF 630-4/6D/1.1/0.3-3/32.5/AL-U1-300/2-60Hz
	Axis-RF 400-4D/0.37-3/40/AL-U1-300/2-60Hz	Axis-RF 500-4D/0.55-3/45/AL-U1-300/2-60Hz	Axis-RF 630-4D/1.5-3/37.5/AL-U1-300/2-60Hz	Axis-RF 630-4/6D/1.5/0.37-3/37.5/AL-U1-300/2-60Hz
	Axis-RF 400-4D/0.37-3/45/AL-U1-300/2-60Hz	Axis-RF 500-4D/0.75-4/45/AL-U1-300/2-60Hz	Axis-RF 630-4D/2.2-3/45/AL-U1-300/2-60Hz	Axis-RF 630-4/6D/3/1-4/45/AL-U1-300/2-60Hz
	Axis-RF 400-4D/0.37-4/45/AL-U1-300/2-60Hz	Axis-RF 560-4D/0.37-3/25/AL-U1-300/2-60Hz	Axis-RF 630-4/8D/0.6/0.15-4/25/AL-U1-300/2-60Hz	Axis-RF 710-6D/0.25-4/16.5/AL-U1-300/2-60Hz
	Axis-RF 450-4D/0.37-3/25/AL-U1-300/2-60Hz	Axis-RF 560-4D/0.37-3/30/AL-U1-300/2-60Hz	Axis-RF 630-4/8D/0.6/0.15-4/30/AL-U1-300/2-60Hz	Axis-RF 710-6D/0.37-4/20/AL-U1-300/2-60Hz
	Axis-RF 450-4D/0.37-3/30/AL-U1-300/2-60Hz	Axis-RF 560-4D/0.37-3/35/AL-U1-300/2-60Hz	Axis-RF 630-4/8D/0.8/0.2-4/35/AL-U1-300/2-60Hz	Axis-RF 710-6D/0.55-4/25/AL-U1-300/2-60Hz
	Axis-RF 450-4D/0.37-3/35/AL-U1-300/2-60Hz	Axis-RF 560-4D/0.55-3/40/AL-U1-300/2-60Hz	Axis-RF 630-4/8D/1.2/0.3-4/40/AL-U1-300/2-60Hz	Axis-RF 710-6D/0.55-4/30/AL-U1-300/2-60Hz
	Axis-RF 450-4D/0.37-3/40/AL-U1-300/2-60Hz	Axis-RF 560-4D/0.75-3/45/AL-U1-300/2-60Hz	Axis-RF 630-4/8D/1.2/0.3-3/32.5/AL-U1-300/2-60Hz	Axis-RF 710-6D/0.75-4/35/AL-U1-300/2-60Hz
	Axis-RF 450-4D/0.37-4/40/AL-U1-300/2-60Hz	Axis-RF 560-4D/1.1-4/45/AL-U1-300/2-60Hz	Axis-RF 630-4/8D/1.6/0.4-3/37.5/AL-U1-300/2-60Hz	Axis-RF 710-6D/1.1-4/40/AL-U1-300/2-60Hz
	Axis-RF 450-4D/0.55-4/45/AL-U1-300/2-60Hz	Axis-RF 630-4D/0.37-4/25/AL-U1-300/2-60Hz	Axis-RF 630-4/8D/2.2/0.55-3/45/AL-U1-300/2-60Hz	Axis-RF 710-4D/0.75-4/16.5/AL-U1-300/2-60Hz
	Axis-RF 500-4D/0.37-3/25/AL-U1-300/2-60Hz	Axis-RF 630-4D/0.55-4/30/AL-U1-300/2-60Hz	Axis-RF 630-4/6D/0.55/0.2-4/25/AL-U1-300/2-60Hz	Axis-RF 710-4D/1.1-4/20/AL-U1-300/2-60Hz
Axis-RF 500-4D/0.37-3/30/AL-U1-300/2-60Hz	Axis-RF 630-4D/0.75-4/35/AL-U1-300/2-60Hz	Axis-RF 630-4/6D/0.55/0.2-4/30/AL-U1-300/2-60Hz	Axis-RF 710-4D/1.5-4/25/AL-U1-300/2-60Hz	

First Issued: 2017-01-30

Latest Issue: 2023-07-06

Page: 40 of 44

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.



# Certificate of Constancy of Performance

No. 2797 CPR 664983

## EN 12101-3:2015 Product information:

Axis-RF 300°C/2h 400V~ 60Hz	Models			
	Axis-RF 710-4D/2.2-4/30/AL-U1-300/2-60Hz	Axis-RF 710-4/6D/3/1-4/35/AL-U1-300/2-60Hz	Axis-RF 800-4D/3.7-4/31.5/AL-U1-300/2-60Hz	Axis-RF 800-4/6D/3/1-4/26.5/AL-U1-300/2-60Hz
	Axis-RF 710-4D/3-4/35/AL-U1-300/2-60Hz	Axis-RF 710-4/6D/4.5/1.5-4/40/AL-U1-300/2-60Hz	Axis-RF 800-4D/4.5-4/34/AL-U1-300/2-60Hz	Axis-RF 800-4/6D/3/1-4/29/AL-U1-300/2-60Hz
	Axis-RF 710-4D/3.7-4/40/AL-U1-300/2-60Hz	Axis-RF 800-6D/0.37-4/16.5/AL-U1-300/2-60Hz	Axis-RF 800-4D/5.5-4/38.5/AL-U1-300/2-60Hz	Axis-RF 800-4/6D/4.5/1.5-4/31.5/AL-U1-300/2-60Hz
	Axis-RF 710-4/8D/0.8/0.2-4/16.5/AL-U1-300/2-60Hz	Axis-RF 800-6D/0.55-4/20/AL-U1-300/2-60Hz	Axis-RF 800-4/8D/1.2/0.3-4/16.5/AL-U1-300/2-60Hz	Axis-RF 800-4/6D/6/2.2-4/34/AL-U1-300/2-60Hz
	Axis-RF 710-4/8D/1.2/0.3-4/20/AL-U1-300/2-60Hz	Axis-RF 800-6D/0.75-4/25/AL-U1-300/2-60Hz	Axis-RF 800-4/8D/1.6/0.4-4/20/AL-U1-300/2-60Hz	Axis-RF 800-4/6D/6/2.2-4/38.5/AL-U1-300/2-60Hz
	Axis-RF 710-4/8D/1.6/0.4-4/25/AL-U1-300/2-60Hz	Axis-RF 800-6D/1.1-4/30/AL-U1-300/2-60Hz	Axis-RF 800-4/8D/2.2/0.55-4/23.5/AL-U1-300/2-60Hz	Axis-RF 900-6D/0.75-4/10/ST-U1-300/2-60Hz
	Axis-RF 710-4/8D/2.2/0.55-4/30/AL-U1-300/2-60Hz	Axis-RF 800-6D/1.1-4/35/AL-U1-300/2-60Hz	Axis-RF 800-4/8D/2.8/0.7-4/26.5/AL-U1-300/2-60Hz	Axis-RF 900-6D/1.1-4/15/ST-U1-300/2-60Hz
	Axis-RF 710-4/8D/2.8/0.7-4/35/AL-U1-300/2-60Hz	Axis-RF 800-6D/1.5-4/40/AL-U1-300/2-60Hz	Axis-RF 800-4/8D/2.8/0.7-4/29/AL-U1-300/2-60Hz	Axis-RF 900-6D/1.5-4/20/ST-U1-300/2-60Hz
	Axis-RF 710-4/8D/3.8/1-4/40/AL-U1-300/2-60Hz	Axis-RF 800-4D/1.1-4/16.5/AL-U1-300/2-60Hz	Axis-RF 800-4/8D/3.8/1-4/31.5/AL-U1-300/2-60Hz	Axis-RF 900-6D/2.2-4/28/ST-U1-300/2-60Hz
	Axis-RF 710-4/6D/1.1/0.3-4/16.5/AL-U1-300/2-60Hz	Axis-RF 800-4D/1.5-4/20/AL-U1-300/2-60Hz	Axis-RF 800-4/8D/5/1.3-4/34/AL-U1-300/2-60Hz	Axis-RF 900-6D/3-4/35/ST-U1-300/2-60Hz
	Axis-RF 710-4/6D/1.1/0.3-4/20/AL-U1-300/2-60Hz	Axis-RF 800-4D/2.2-4/23.5/AL-U1-300/2-60Hz	Axis-RF 800-4/8D/5/1.3-4/38.5/AL-U1-300/2-60Hz	Axis-RF 900-4D/3-4/12/ST-U1-300/2-60Hz
	Axis-RF 710-4/6D/1.5/0.37-4/25/AL-U1-300/2-60Hz	Axis-RF 800-4D/3-4/26.5/AL-U1-300/2-60Hz	Axis-RF 800-4/6D/1.1/0.3-4/16.5/AL-U1-300/2-60Hz	Axis-RF 900-4D/3.7-4/15/ST-U1-300/2-60Hz
Axis-RF 710-4/6D/3/1-4/30/AL-U1-300/2-60Hz	Axis-RF 800-4D/3-4/29/AL-U1-300/2-60Hz	Axis-RF 800-4/6D/1.5/0.37-4/20/AL-U1-300/2-60Hz	Axis-RF 900-4D/4.5-4/18/ST-U1-300/2-60Hz	

First Issued: 2017-01-30

Latest Issue: 2023-07-06

Page: 41 of 44

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.

# Certificate of Constancy of Performance

No. 2797 CPR 664983

## EN 12101-3:2015 Product information:

Axis-RF 300°C/2h 400V~ 60Hz	Models	
	Axis-RF 900-4D/5.5-4/20/ST-U1-300/2-60Hz	Axis-RF 1000-6D/4.5-8/22/ST-U1-300/2-60Hz
	Axis-RF 900-4D/7.5-4/25/ST-U1-300/2-60Hz	Axis-RF 1000-6D/5.5-8/26/ST-U1-300/2-60Hz
	Axis-RF 900-4D/9.2-4/30/ST-U1-300/2-60Hz	Axis-RF 1000-4D/7.5-8/11/ST-U1-300/2-60Hz
	Axis-RF 900-4/8D/2.8/0.7-4/11/ST-U1-300/2-60Hz	Axis-RF 1000-4D/9.2-8/14/ST-U1-300/2-60Hz
	Axis-RF 900-4/8D/3.8/1-4/15/ST-U1-300/2-60Hz	Axis-RF 1000-4/8D/7.2/1.8-8/10/ST-U1-300/2-60Hz
	Axis-RF 900-4/8D/5/1.3-4/19/ST-U1-300/2-60Hz	Axis-RF 1120-6D/3.7-8/11/ST-U1-300/2-60Hz
	Axis-RF 900-4/8D/7.2/1.8-4/24/ST-U1-300/2-60Hz	Axis-RF 1120-6D/4.5-8/13/ST-U1-300/2-60Hz
	Axis-RF 900-4/6D/3/1-4/12/ST-U1-300/2-60Hz	Axis-RF 1120-6D/5.5-8/17/ST-U1-300/2-60Hz
	Axis-RF 900-4/6D/4.5/1.5-4/18/ST-U1-300/2-60Hz	Axis-RF 1250-6D/5.5-4/11/ST-U1-300/2-60Hz
	Axis-RF 900-4/6D/6/2.2-4/21/ST-U1-300/2-60Hz	
	Axis-RF 1000-6D/2.2-8/12/ST-U1-300/2-60Hz	
	Axis-RF 1000-6D/3-8/15/ST-U1-300/2-60Hz	
	Axis-RF 1000-6D/3.7-8/18/ST-U1-300/2-60Hz	

## EN 12101-3:2015 Product information:

<b>Response Delay</b>	N/A
<b>Resistance to Fire class</b>	F300 ( <i>Tested to 300°C, 120mins</i> )
<b>Motor Rating</b>	H
<b>Ancillaries</b>	Ancillaries include silencers and outlet vanes

First Issued: 2017-01-30

Latest Issue: 2023-07-06

Page: 42 of 44

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.

# Certificate of Constancy of Performance

No. 2797 CPR 664983

## EN 12101-3:2015 Product information:

<b>Axis-Jet 300°C/2h 400V~ 50Hz</b>	<b>Models</b>		
	Axis-Jet-CI-315-2-U-300/2	Axis-Jet-CI-400M-2-U-300/2	Axis-Jet-CI-450S-2-R-300/2
	Axis-Jet-CI-315M-2-U-300/2	Axis-Jet-CI-400-2/4-U-300/2	Axis-Jet-CI-450-2/4-R-300/2
	Axis-Jet-CI-315-2/4-U-300/2	Axis-Jet-CI-400M-2/4-U-300/2	Axis-Jet-CI-450M-2/4-R-300/2
	Axis-Jet-CI-315M-2/4-U-300/2	Axis-Jet-CI-400-2-R-300/2	Axis-Jet-CI-450S-2/4-R-300/2
	Axis-Jet-CI-315-2-R-300/2	Axis-Jet-CI-400-2/4-R-300/2	Axis-Jet-CI-500-2/4-U-300/2
	Axis-Jet-CI-315-2/4-R-300/2	Axis-Jet-CI-450-2-U-300/2	Axis-Jet-CI-500-2/4-R-300/2
	Axis-Jet-CI-355-2-U-300/2	Axis-Jet-CI-450M-2-U-300/2	Axis-Jet-CI-560M-2-U-300/2
	Axis-Jet-CI-355M-2-U-300/2	Axis-Jet-CI-450S-2-U-300/2	Axis-Jet-CI-560M-2/4-U-300/2
	Axis-Jet-CI-355-2/4-U-300/2	Axis-Jet-CI-450-2/4-U-300/2	Axis-Jet-CI-560M-2/4-R-300/2
	Axis-Jet-CI-355M-2/4-U-300/2	Axis-Jet-CI-450M-2/4-U-300/2	Axis-Jet-CI-630-2/4-U-300/2
	Axis-Jet-CI-355-2-R-300/2	Axis-Jet-CI-450S-2/4-U-300/2	Axis-Jet-CI-630M-2/4-U-300/2
	Axis-Jet-CI-355-2/4-R-300/2	Axis-Jet-CI-450-2-R-300/2	Axis-Jet-CI-630-2/4-R-300/2
	Axis-Jet-CI-400-2-U-300/2	Axis-Jet-CI-450M-2-R-300/2	Axis-Jet-CI-630M-2/4-R-300/2

## EN 12101-3:2015 Product information:

<b>Axis-Jet 300°C/2h 400V~ 60Hz</b>	<b>Models</b>	
	Axis-Jet-CI-315-2-U-U-300/2-60Hz	Axis-Jet-CI-450-2-U-U-300/2-60Hz
	Axis-Jet-CI-315M-2-U-U-300/2-60Hz	Axis-Jet-CI-450M-2-U-U-300/2-60Hz
	Axis-Jet-CI-315-2-R-U-300/2-60Hz	Axis-Jet-CI-450S-2-U-U-300/2-60Hz
	Axis-Jet-CI-355-2-U-U-300/2-60Hz	Axis-Jet-CI-450-2-R-U-300/2-60Hz
	Axis-Jet-CI-355M-2-U-U-300/2-60Hz	Axis-Jet-CI-450M-2-R-U-300/2-60Hz
	Axis-Jet-CI-355-2-R-U-300/2-60Hz	Axis-Jet-CI-450S-2-R-U-300/2-60Hz
	Axis-Jet-CI-400-2-U-U-300/2-60Hz	
	Axis-Jet-CI-400M-2-U-U-300/2-60Hz	
Axis-Jet-CI-400-2-R-U-300/2-60Hz		

First Issued: 2017-01-30

Latest Issue: 2023-07-06

Page: 43 of 44

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

# Certificate of Constancy of Performance

No. 2797 CPR 664983

## EN 12101-3:2015 Product information:

<b>Response Delay</b>	N/A
<b>Resistance to Fire class</b>	F300 ( <i>Tested to 300°C, 120mins</i> )
<b>Motor Rating</b>	H
<b>Ancillaries</b>	Ancillaries include silencers and outlet vanes

## Manufacturing plant

Ventilation Systems PrJSC  
36, SOBORNOSTI Str  
BOYARKA  
08154  
Ukraine

## Certified Activities

EN 12101-3:2015  
Powered smoke and heat exhaust ventilators

First Issued: 2017-01-30

Latest Issue: 2023-07-06

Page: 44 of 44

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.