




## Axis-F 550 4E

Axial inline fans

- Maximum airflow: 8800
- Sound pressure level LpA at 3 m: 62
- Motor type: AC
- Impeller type: Axial
- Casing material: Coated steel
- Installation in any position

	Unit of measurement	Axis-F 550 4E
Connected air duct size	mm	550
Speed	-	1
Minimum supply voltage	V	220
Maximum supply voltage	V	240
Power supply frequency	Hz	50/60
Rated power	W	550
Unit current	A	2.55
Maximum airflow	m <sup>3</sup> /h	8800
Sound pressure level LpA at 3 m	dB(A)	62
Weight	kg	13.9
Transported air temperature (max)	°C	60
Transported air temperature (min)	°C	-30
Ingress protection rating	-	IPX4



### Dimensions

ØD	ØD1	ØD2	Ød	B	L
565	605	636	11,5	660	230




## Ecodesign

Trademark	Blauberg
Model	Axis-F 550 4E
Type of drive installed	External MSD or VSD
Type of heat recovery system	None
Nominal flow rate (m <sup>3</sup> /s)	1.644
Nominal external pressure (Pa)	120
Maximum external leakage rates (%)	2.7
Static efficiency (%)	34.7
Effective electric power input (kW)	0.581
Sound power level (dB(A))	90
Declared typology	NRVU UVU

## Accessories

### Thyristor speed controllers

Name	Photo	Description
<a href="#">CDT E1.8</a>		Thyristor speed controller