




BLAUBOX DE 3300-21 Pro

Supply suspended ventilation units


- Power of electrical reheater: 21000
- Maximum airflow: 3350
- Sound pressure level LpA at 3 m: 57
- Sound insulation
- Motor type: AC
- Reheater: Electric
- Control: Remote Control
- Casing material: Galvanized steel

| | Unit of measurement | BLAUBOX DE 3300-21 Pro |
|--|---------------------|------------------------|
| Connected air duct size | mm | 600x350 |
| Speed | - | 1 |
| Minimum supply voltage | V | 400 |
| Maximum supply voltage | V | 400 |
| Power supply frequency | Hz | 50 |
| Rated power | W | 1330 |
| Power of electrical reheater | W | 21000 |
| Unit current | A | 32.4 |
| Maximum airflow | m ³ /h | 3350 |
| Sound pressure level LpA at 3 m | dB(A) | 57 |
| Weight | kg | 91 |
| Transported air temperature (max) | °C | 45 |
| Transported air temperature (min) | °C | -25 |
| Ambient air temperature min | °C | -25 |
| Ambient air temperature max | °C | 45 |
| Ambient air humidity max | % | 80 |
| Ingress protection rating | - | IP22 |
| Ingress protection rating of the drive | - | IP44 |




Dimensions

| B | B1 | B2 | B3 | H | H1 | H2 | L | L1 |
|-----|-----|-----|-----|-----|-----|-----|------|------|
| 600 | 620 | 888 | 744 | 350 | 370 | 500 | 1252 | 1212 |



Accessories



Other accessories

| Name | Photo | Description |
|------------------|---|-----------------|
| FP 545x390x47 G4 |  | G4 panel filter |



Other accessories

| Name | Photo | Description |
|--------------------------|---|---------------------------------|
| SD 60x35 |  | Silencers for rectangular ducts |

Other accessories

| Name | Photo | Description |
|-----------------------------|---|--|
| KFK 60x35-3 |  | Duct DX cooling units for rectangular air ducts |
| KWK 60x35-3 |  | Duct water cooling units for rectangular air ducts |

Other accessories

| Name | Photo | Description |
|---------------------------|---|--|
| SL 60x35 |  | Air dampers for rectangular ducts |
| EVA 60x35 |  | Flexible anti-vibration connectors for rectangular ducts |