



# BLAUBOX E 1000-3.6 Pro


Supply ventilation units

- Power of electrical reheater: 3600
- Maximum airflow: 990
- Sound pressure level LpA at 3 m: 30
- Sound insulation
- Motor type: AC
- Reheater: Electric
- Control: Remote Control
- Casing material: Galvanized steel

|  | Unit of measurement | BLAUBOX E 1000-3.6 Pro |
|--|---------------------|------------------------|
| Connected air duct size                | mm                  | 250                    |
| Speed                                  | -                   | 1                      |
| Minimum supply voltage                 | V                   | 400                    |
| Maximum supply voltage                 | V                   | 400                    |
| Power supply frequency                 | Hz                  | 50                     |
| Rated power                            | W                   | 194                    |
| Power of electrical reheater           | W                   | 3600                   |
| Unit current                           | A                   | 5.3                    |
| Maximum airflow                        | m <sup>3</sup> /h   | 990                    |
| Sound pressure level LpA at 3 m        | dB(A)               | 30                     |
| Weight                                 | kg                  | 55                     |
| Transported air temperature (max)      | °C                  | 55                     |
| Transported air temperature (min)      | °C                  | -25                    |
| Ambient air temperature min            | °C                  | 0                      |
| Ambient air temperature max            | °C                  | 40                     |
| Ambient air humidity max               | %                   | 80                     |
| Ingress protection rating              | -                   | IP22                   |
| Ingress protection rating of the drive | -                   | IP44                   |


## Dimensions

| $\varnothing D$ | B   | B1    | H   | L   | L1  |
|-----------------|-----|-------|-----|-----|-----|
| 249             | 487 | 526.5 | 513 | 835 | 684 |









## Accessories

### Other accessories


| Name             | Photo   | Description     |
|------------------|---|-----------------|
| FP 439x428x70 G4 |  | G4 panel filter |

### For round ducts



| Name                        | Photo   | Description               |
|-----------------------------|---|---------------------------|
| <a href="#">SD 250/600</a>  |  | Silencers for round ducts |
| <a href="#">SD 250/900</a>  |  | Silencers for round ducts |
| <a href="#">SD 250/1200</a> |  | Silencers for round ducts |

|                              |   |                                    |
|------------------------------|---|------------------------------------|
| <a href="#">SDF 250/600</a>  |  | Flexible silencers for round ducts |
| <a href="#">SDF 250/900</a>  |  | Flexible silencers for round ducts |
| <a href="#">SDF 250/2000</a> |  | Flexible silencers for round ducts |

### For round ducts

| Name                    | Photo   | Description  |
|-------------------------|---|--|
| <a href="#">EVA 250</a> |  | Flexible anti-vibration connectors for round ducts |

### For round ducts

| Name                    | Photo   | Description                                   |
|-------------------------|---|---|
| <a href="#">VRV 250</a> |  | Backdraft dampers with spring for round ducts |
| <a href="#">VKA 250</a> |  | Air dampers for round ducts                   |