



BLAUBOX E 300-2.4 Pro


Supply ventilation units

- Power of electrical reheater: 2400
- Maximum airflow: 285
- Sound pressure level LpA at 3 m: 28
- Sound insulation
- Motor type: AC
- Reheater: Electric
- Control: Remote Control
- Casing material: Galvanized steel

	Unit of measurement	BLAUBOX E 300-2.4 Pro
Connected air duct size	mm	125
Speed	-	1
Minimum supply voltage	V	230
Maximum supply voltage	V	230
Power supply frequency	Hz	50
Rated power	W	75
Power of electrical reheater	W	2400
Unit current	A	10.4
Maximum airflow	m ³ /h	285
Sound pressure level LpA at 3 m	dB(A)	28
Weight	kg	50
Transported air temperature (max)	°C	55
Transported air temperature (min)	°C	-25
Ambient air temperature min	°C	0
Ambient air temperature max	°C	40
Ambient air humidity max	%	80
Ingress protection rating	-	IP22
Ingress protection rating of the drive	-	IP44

Dimensions

$\varnothing D$	B	B1	H	L	L1
124	382	421.5	408	800	647









Accessories

Other accessories




Name	Photo	Description
FP 335x322x70 G4		G4 panel filter

Other accessories

Name	Photo	Description
SD 125/600		Silencers for round ducts
SD 125/900		Silencers for round ducts
SD 125/1200		Silencers for round ducts

SDF 125/600		Flexible silencers for round ducts
SDF 125/900		Flexible silencers for round ducts
SDF 125/2000		Flexible silencers for round ducts

Other accessories

Name	Photo	Description
EVA 125		Flexible anti-vibration connectors for round ducts
VRV 125		Backdraft dampers with spring for round ducts
VKA 125		Air dampers for round ducts