

BLAUBOX E 300-2.4 Pro


Supply ventilation units

- Power of electrical reheater: 2400
- Sound pressure level LpA at 3 m: 28
- Sound-insulated casing
- Reheater: Electric
- Control: Remote Control
- Casing material: Galvanized steel

	Unit of measurement	BLAUBOX E 300-2.4 Pro
Connected air duct size	mm	125
Phases	-	1
Minimum supply voltage	V	230
Maximum supply voltage	V	230
Power supply frequency	Hz	50
Rated power	W	75
Power of electrical reheater	W	2400
Unit current	A	10.4
Maximum airflow	m³/h	285
Rotation speed at 50hz	-	2800
Sound pressure level LpA at 3 m	dB(A)	28
Weight	kg	50
Transported air temperature (max)	°C	55
Transported air temperature (min)	°C	-25
Ambient air temperature max	°C	40
Ingress protection rating	-	IP22
Ambient air humidity max	%	80
Ingress protection rating of the drive	-	IP44

Dimensions

ØD	B	B1	H	L	L1
124	382	421.5	408	800	647



Accessories

For round ducts

Name	Photo	Description
SD 125/600		Silencers for round ducts
SD 125/900		Silencers for round ducts
SD 125/1200		Silencers for round ducts
SDF 125/600		Flexible silencers for round ducts
SDF 125/900		Flexible silencers for round ducts

SDF 125/2000		Flexible silencers for round ducts


For round ducts

Name	Photo	Description
VRV 125		Backdraft dampers with spring for round ducts

For round ducts

Name	Photo	Description
VKA 125		Air dampers for round ducts

For round ducts

Name	Photo	Description
EVA 125		Flexible anti-vibration connectors for round ducts

Other accessories

Name	Photo	Description
FP 335x322x70 G4		G4 panel filter