

# BLAUBOX E 800-3.4 Pro


Supply ventilation units

- Power of electrical reheater: 3400
- Sound pressure level LpA at 3 m: 30
- Sound-insulated casing
- Reheater: Electric
- Control: Remote Control
- Casing material: Galvanized steel

| | Unit of measurement | BLAUBOX E 800-3.4 Pro |
|---|---|---|
| Connected air duct size | mm | 200 |
| Phases | - | 3 |
| Minimum supply voltage | V | 400 |
| Maximum supply voltage | V | 400 |
| Power supply frequency | Hz | 50 |
| Rated power | W | 193 |
| Power of electrical reheater | W | 3400 |
| Unit current | A | 14.8 |
| Maximum airflow | m³/h | 810 |
| Rotation speed at 50hz | - | 2780 |
| Sound pressure level LpA at 3 m | dB(A) | 30 |
| Weight | kg | 52 |
| Transported air temperature (max) | °C | 55 |
| Transported air temperature (min) | °C | -25 |
| Ambient air temperature max | °C | 40 |
| Ingress protection rating | - | IP22 |
| Ambient air humidity max | % | 80 |
| Ingress protection rating of the drive | - | IP44 |

## Dimensions

| ØD | B | B1 | H | L | L1 |
|---|---|---|---|---|---|
| 199 | 487 | 526.5 | 513 | 835 | 684 |




## Accessories

### For round ducts

| Name | Photo | Description |
|---|---|---|
| SD 200/600 |  | Silencers for round ducts |
| SD 200/900 |  | Silencers for round ducts |
| SD 200/1200 |  | Silencers for round ducts |

### Other accessories

| Name | Photo | Description |
|---|---|---|

| | | |
|---|---|---|
| FP 439x428x70 G4 |  | G4 panel filter |