



BLAUBOX E 800-6 Pro


Supply ventilation units

- Power of electrical reheater: 6000
- Maximum airflow: 810
- Sound pressure level LpA at 3 m: 30
- Sound insulation
- Motor type: AC
- Reheater: Electric
- Control: Remote Control
- Casing material: Galvanized steel

	Unit of measurement	BLAUBOX E 800-6 Pro
Connected air duct size	mm	200
Speed	-	1
Minimum supply voltage	V	400
Maximum supply voltage	V	400
Power supply frequency	Hz	50
Rated power	W	193
Power of electrical reheater	W	6000
Unit current	A	8.7
Maximum airflow	m ³ /h	810
Sound pressure level LpA at 3 m	dB(A)	30
Weight	kg	52
Transported air temperature (max)	°C	55
Transported air temperature (min)	°C	-25
Ambient air temperature min	°C	0
Ambient air temperature max	°C	40
Ambient air humidity max	%	80
Ingress protection rating	-	IP22
Ingress protection rating of the drive	-	IP44


Dimensions

$\varnothing D$	B	B1	H	L	L1
199	487	526.5	513	835	684








Accessories

Other accessories


Name	Photo	Description
FP 439x428x70 G4		G4 panel filter

For round ducts



Name	Photo	Description
SD 200/600		Silencers for round ducts
SD 200/900		Silencers for round ducts
SD 200/1200		Silencers for round ducts

SDF 200/600		Flexible silencers for round ducts
SDF 200/900		Flexible silencers for round ducts
SDF 200/2000		Flexible silencers for round ducts

For round ducts

Name	Photo	Description
EVA 200		Flexible anti-vibration connectors for round ducts

For round ducts

Name	Photo	Description
VRV 200		Backdraft dampers with spring for round ducts
VKA 200		Air dampers for round ducts