



# BLAUBOX ME 800-3.3 Pro


Supply ventilation units

- Power of electrical reheater: 3300
- Maximum airflow: 800
- Sound pressure level LpA at 3 m: 35
- Sound insulation
- Motor type: AC
- Reheater: Electric
- Control: Remote Control
- Casing material: Galvanized steel

	Unit of measurement	BLAUBOX ME 800-3.3 Pro
Connected air duct size	mm	400x200
Speed	-	1
Minimum supply voltage	V	230
Maximum supply voltage	V	230
Power supply frequency	Hz	50
Rated power	W	245
Power of electrical reheater	W	3300
Unit current	A	15.4
Maximum airflow	m <sup>3</sup> /h	800
Sound pressure level LpA at 3 m	dB(A)	35
Weight	kg	36.2
Transported air temperature (max)	°C	45
Transported air temperature (min)	°C	-25
Ambient air temperature min	°C	1
Ambient air temperature max	°C	40
Ambient air humidity max	%	80
Ingress protection rating	-	IP22
Ingress protection rating of the drive	-	IP44

## Dimensions

B	B1	B2	H	L	L1
500	400	549	352	650	530



## Accessories


### Other accessories

Name	Photo	Description
FP 442x275x47 G4		G4 panel filter



### Other accessories

Name	Photo	Description
<a href="#">SD 40x20</a>		Silencers for rectangular ducts

### Other accessories

Name	Photo	Description
<a href="#">KFK 40x20-3</a>		Duct DX cooling units for rectangular air ducts

### Other accessories

Name	Photo	Description
<a href="#">SL 40x20</a>		Air dampers for rectangular ducts
<a href="#">EVA 40x20</a>		Flexible anti-vibration connectors for rectangular ducts