



# Box-R 200

Inline centrifugal fans




- Maximum airflow: 783
- Sound pressure level LpA at 3 m: 47
- Motor type: AC
- Impeller type: Centrifugal backward curved blades
- Casing material: Coated steel
- Installation in any position

	Unit of measurement	Box-R 200
Connected air duct size	mm	200
Speed	-	1
Minimum supply voltage	V	230
Maximum supply voltage	V	230
Power supply frequency	Hz	50
Rated power	W	139
Unit current	A	0.61
Maximum airflow	m <sup>3</sup> /h	783
Sound pressure level LpA at 3 m	dB(A)	47
Weight	kg	8.8
Transported air temperature (max)	°C	50
Ingress protection rating	-	IPX4
Ingress protection rating of the drive	-	IP44




## Dimensions





ØD	ØD1	B	H	L	L2
198	198	362	222	494	397





<a href="#">CDP-3/5</a>		Multi-speed switch
-------------------------	---	--------------------

### Humidity sensors

Name	Photo	Description
<a href="#">TE / TI 1.5</a>		Timers
<a href="#">HSE / HSI 1.5</a>		Sensors
<a href="#">LSE / LSI 1.5</a>		Sensors
<a href="#">IRSE / IRSI 1.5</a>		Sensors