



Bravo Chrome 150 (127-220V/60Hz)


Extract fans

- Motor type: AC
- Backdraft protection: Backdraft damper

	Unit of measurement	Bravo Chrome 150 (127-220V/60Hz)
Connected air duct size	mm	150
Speed	-	1
Minimum supply voltage	V	127
Maximum supply voltage	V	220
Power supply frequency	Hz	60
Unit current	A	
Ingress protection rating	-	IP34


Dimensions

a	b	c	Ø d	e
205	174	124	150	19




Accessories









Thyristor speed controllers













Name	Photo	Description
CDT E1.8		Thyristor speed controller

Flexible ducts

Name	Photo	Description
BlauFlex PVC		Flexible air ducts BlauFlex
BlauFlex Iso N 152/7.6		Flexible air ducts BlauFlex

Flat duct

Name	Photo	Description
BlauPlast RR 150/0.5		Round duct
BlauPlast RR 150/1		Round duct
BlauPlast RR 150/1.5		Round duct
BlauPlast RTR 150/0.35-0.5		Round telescopic duct
BlauPlast RTR 150/0.5-1		Round telescopic duct
BlauPlast RV 150		Round duct connector
BlauPlast RSV 150		Flexible duct connector
BlauPlast RB 150/90°		Bend 90°

BlauPlast RH 150		Round duct holder
BlauPlast RVP 150		Round duct connector with plate
BlauPlast RVPK 150		Round duct connector with a plate and a gravity backdraft damper
BlauPlast RR 150/0.35		Round duct
BlauPlast RR 150/2		Round duct
BlauPlast RR 150/2.5		Round duct
BlauPlast RVK 150		Connector with backdraft damper for round ducts
BlauPlast WP 150		Wall plate for round ducts
BlauPlast RRT 150		T-joint for round ducts
BlauPlast US-90° 150/204x60		Bend
BlauPlast US-90° 150/220x90		Bend
BlauPlast UBS 150/220x90		Connector