



Bravo Platinum 150


Extract fans

- Maximum airflow: 305
- Sound pressure level LpA at 3 m: 39
- Motor type: AC
- Backdraft protection: Backdraft damper

	Unit of measurement	Bravo Platinum 150
Connected air duct size	mm	150
Speed	-	1
Minimum supply voltage	V	220
Maximum supply voltage	V	240
Power supply frequency	Hz	50
Rated power	W	24
Unit current	A	0.13
Maximum airflow	m ³ /h	305
Sound pressure level LpA at 3 m	dB(A)	39
Ingress protection rating	-	IP34


Dimensions

a	b	c	∅ d	e
205	174	124	150	19



Accessories







Thyristor speed controllers















Name	Photo	Description
CDT E1.8		Thyristor speed controller

Flexible ducts

Name	Photo	Description
BlauFlex PVC		Flexible air ducts BlauFlex
BlauFlex Iso N 152/7.6		Flexible air ducts BlauFlex

Flat duct

Name	Photo	Description
BlauPlast RR 150/0.5		Round duct
BlauPlast RR 150/1		Round duct
BlauPlast RR 150/1.5		Round duct
BlauPlast RTR 150/0.35-0.5		Round telescopic duct
BlauPlast RTR 150/0.5-1		Round telescopic duct
BlauPlast RV 150		Round duct connector

BlauPlast RSV 150		Flexible duct connector
BlauPlast RB 150/90°		Bend 90°
BlauPlast RH 150		Round duct holder
BlauPlast RVP 150		Round duct connector with plate
BlauPlast RVPK 150		Round duct connector with a plate and a gravity backdraft damper
BlauPlast RR 150/0.35		Round duct
BlauPlast RR 150/2		Round duct
BlauPlast RR 150/2.5		Round duct
BlauPlast RVK 150		Connector with backdraft damper for round ducts
BlauPlast WP 150		Wall plate for round ducts
BlauPlast RRT 150		T-joint for round ducts
BlauPlast US-90° 150/204x60		Bend
BlauPlast US-90° 150/220x90		Bend
BlauPlast UBS 150/220x90		Connector