


# Tubo-U 125 T

Inline axial fan for supply and exhaust ventilation



- Maximum airflow: 190
- Sound pressure level LpA at 3 m: 38
- Motor type: AC
- Casing material: Plastic
- Timer: Turn off timer

|                                 | Unit of measurement | Tubo-U 125 T |
|---------------------------------|---------------------|--------------|
| Connected air duct size         | mm                  | 125          |
| Speed                           | -                   | 1            |
| Phases                          | -                   | 1            |
| Minimum supply voltage          | V                   | 220          |
| Maximum supply voltage          | V                   | 240          |
| Power supply frequency          | Hz                  | 50/60        |
| Rated power                     | W                   | 16           |
| Unit current                    | A                   | 0.1          |
| Maximum airflow                 | m <sup>3</sup> /h   | 190          |
| rotation speed at 50hz          | -                   |              |
| Sound pressure level LpA at 3 m | dB(A)               | 38           |
| Weight                          | kg                  | 0.43         |
| Ambient air temperature min     | °C                  | 1            |
| Ambient air temperature max     | °C                  | 40           |
| Ingress protection rating       | -                   | IPX4         |



## Dimensions

| a   | b   | c  | c1 | Ø d |
|-----|-----|----|----|-----|
| 185 | 125 | 90 | 45 | 125 |

