












# Aero














Low-noise axial fan for exhaust ventilation














- Motor type: AC
- Casing material: Plastic
- Motion sensor
- Humidity sensor
- Timer: Turn off timer














Lineup	Connected air duct size, mm	Rated power, W	Maximum airflow, m <sup>3</sup> /h	Sound pressure level LpA at 3 m, dB(A)	Motion sensor	Pull cord	Humidity sensor	Timer
 Aero 100	100	14	102	38	✓	✓	✓	✗
 Aero 100 S	100	14	102	38	✓	✓	✓	✗
 Aero 100 T	100	14	102	38	✓	✓	✓	✗
 Aero 100 ST	100	14	102	38		✓		✓
 Aero 100 H	100	14	102	38	✓	✓	✓	✗
 Aero 100 SH	100	14	102	38		✓	✓	✓

 Aero 100 IR	100	14	102	38	✓			✓
 Aero 125	125	16	193	39		✓	✓	✓
 Aero 125 S	125	16	193	39		✓	✓	✓
 Aero 125 T	125	16	193	39		✓	✓	✓
 Aero 125 ST	125	16	193	39		✓		✓
 Aero 125 H	125	16	193	39		✓	✓	✓
 Aero 125 SH	125	16	193	39		✓	✓	✓
 Aero 125 IR	125	16	193	39	✓			✓
 Aero 150	150	24	309	40				
 Aero 150 S	150	24	295	39		✓		✗
 Aero 150 T	150	24	295	39				✓
 Aero 150 ST	150	24	309	40		✓		✓
 Aero 150 H	150	24	309	40			✓	✓

 Aero 150 SH	150	24	309	40		✓	✓	✓
 Aero 150 IR	150	24	309	40	✓			✓
 Aero Chrome 100	100	14	102	38				
 Aero Chrome 100 S	100	14	102	38		✓		
 Aero Chrome 100 T	100	14	102	38				✓
 Aero Chrome 100 ST	100	14	102	38		✓		✓
 Aero Chrome 100 H	100	14	102	38			✓	✓
 Aero Chrome 100 SH	100	14	102	38		✓	✓	✓
 Aero Chrome 100 IR	100	14	102	38	✓			✓
 Aero Chrome 125	125	16	193	39				
 Aero Chrome 125 S	125	16	193	39		✓		
 Aero Chrome 125 T	125	16	193	39				✓
 Aero Chrome 125 ST	125	16	193	39		✓		✓

 Aero Chrome 125 H	125	16	193	39			✓	✓
 Aero Chrome 125 SH	125	16	193	39		✓	✓	✓
 Aero Chrome 125 IR	125	16	193	39	✓			✓
 Aero Chrome 150	150	24	309	40				
 Aero Chrome 150 S	150	24	309	40		✓		
 Aero Chrome 150 T	150	24	309	40				✓
 Aero Chrome 150 ST	150	24	309	40		✓		✓
 Aero Chrome 150 H	150	24	309	40			✓	✓
 Aero Chrome 150 SH	150	24	309	40		✓	✓	✓
 Aero Chrome 150 IR	150	24	309	40	✓			✓
 Aero Vintage 100	100	14	102	38				
 Aero Vintage 100 S	100	14	102	38		✓		
 Aero Vintage 100 T	100	14	102	38				✓

 Aero Vintage 100 ST	100	14	102	38		✓		✓
 Aero Vintage 100 H	100	14	102	38			✓	✓
 Aero Vintage 100 SH	100	14	102	38		✓	✓	✓
 Aero Vintage 100 IR	100	14	102	38	✓			✓
 Aero Vintage 125	125	16	193	39				
 Aero Vintage 125 S	125	16	193	39		✓		
 Aero Vintage 125 T	125	16	193	39				✓
 Aero Vintage 125 ST	125	16	193	39		✓		✓
 Aero Vintage 125 H	125	16	193	39			✓	✓
 Aero Vintage 125 SH	125	16	193	39		✓	✓	✓
 Aero Vintage 125 IR	125	16	193	39	✓			✓
 Aero Vintage 150	150	24	309	40				
 Aero Vintage 150 S	150	24	309	40		✓		

 Aero Vintage 150 T	150	24	309	40				✓
 Aero Vintage 150 ST	150	24	309	40		✓		✓
 Aero Vintage 150 H	150	24	309	40			✓	✓
 Aero Vintage 150 SH	150	24	309	40		✓	✓	✓
 Aero Vintage 150 IR	150	24	309	40	✓			✓
 Aero 100 (127-220V/60Hz)	100							
 Aero 125 (127-220V/60Hz)	125							
 Aero 150 (127-220V/60Hz)	150							
 Aero Chrome 100 (127-220V/60Hz)	100							
 Aero Chrome 125 (127-220V/60Hz)	125							
 Aero Chrome 150 (127-220V/60Hz)	150							
 Aero Vintage 100 (127-220V/60Hz)	100							
 Aero Vintage 125 (127-220V/60Hz)	125							

	Aero Vintage 150 (127-220V/60Hz)	150							
---	----------------------------------	-----	--	--	--	--	--	--	--