
























Blaubox EC ME

Supply ventilation units with an electric heater

- Filter: Coarse 90% / G4 (опция: ePM1 70% / F7), Coarse 90% / G4 (option: ePM1 70% / F7)
- Sound insulation
- Motor type: EC
- Reheater: Electric
- BMS protocol: ModBus
- Control: Wired control panel
- Casing material: Aluzinc steel

Lineup	Connected air duct size, mm	Phases	Maximum supply voltage, V	Rated power, W	Maximum airflow, m ³ /h	Sound pressure level LpA at 3 m, dB(A)
 Blaubox EC ME 300-1.7 S31	160	1	230	64	365	35
 Blaubox EC ME 300-5.1 S31	160	3	400	64	354	35
 Blaubox EC ME 400-2.4 S31	200	1	230	62	430	31
 Blaubox EC ME 400-3.3 S31	200	3	400	62	430	31
 Blaubox EC ME 400-6 S31	200	3	400	62	430	31
 Blaubox EC ME 700-3 S31	250	3	400	116	760	41

 Blaubox EC ME 700-6 S31	250	3	400	116	760	41
 Blaubox EC ME 700-9 S31	250	3	400	116	760	41
 Blaubox EC ME 1000-6 S31	400x200	3	400	165	1000	45
 Blaubox EC ME 1000-12 S31	400x200	3	400	165	1000	45
 Blaubox EC ME 1000-15 S31	400x200	3	400	165	1000	45
 Blaubox EC ME 1500-9 S31	500x250	3	400	223	1500	46
 Blaubox EC ME 1500-15 S31	500x250	3	400	223	1500	46
 Blaubox EC ME 1500-18 S31	500x250	3	400	223	1500	46
 Blaubox EC ME 2000-12 S31	500x300	3	400	406	2450	48
 Blaubox EC ME 2000-18 S31	500x300	3	400	406	2450	48
 Blaubox EC ME 2000-24 S31	500x300	3	400	406	2450	48
 Blaubox EC ME 3000-18 S31	600x300	3	400	472	3150	47
 Blaubox EC ME 3000-27 S31	600x300	3	400	472	3150	47

 Blaubox EC ME 3000-45 S31	600x300	3	400	472	3150	47
 Blaubox EC ME 4000-24 S31	700x400	3	400	717	5000	49
 Blaubox EC ME 4000-45 S31	700x400	3	400	717	5000	49
 Blaubox EC ME 4000-54 S31	700x400	3	400	717	5000	49