





















Iso Box-F (V2)














Centrifugal inline fans with forward curved blades in sound-insulated casings with filters


















- Sound insulation
- Motor type: AC
- Impeller type: Centrifugal impeller with backward curved blades
- Casing material: Coated steel

Lineup	Connected air duct size, mm	Rated power, W	Maximum airflow, m ³ /h
 Iso Box-F 100 G4	100	53	190
 Iso Box-F 100 G4/Carbon	100	53	190
 Iso Box-F 100 G4/F8	100	53	190
 Iso Box-F 100 G4/F8/Carbon	100	53	190
 Iso Box-F 100 G4/H13	100	53	190
 Iso Box-F 100 G4/H13/Carbon	100	53	190
 Iso Box-F 150 G4	150	107	440

 Iso Box-F 150 G4/Carbon	150	107	440
 Iso Box-F 150 G4/F8	150	107	440
 Iso Box-F 150 G4/F8/Carbon	150	107	440
 Iso Box-F 150 G4/H13	150	107	440
 Iso Box-F 150 G4/H13/Carbon	150	107	440
 Iso Box-F 150 G4 L	150	63	360
 Iso Box-F 150 G4/Carbon L	150	63	360
 Iso Box-F 150 G4/F8 L	150	63	360
 Iso Box-F 150 G4/F8/Carbon L	150	63	360
 Iso Box-F 150 G4/H13 L	150	63	360
 Iso Box-F 150 G4/H13/Carbon L	150	63	360
 Iso Box-F 200 G4	200	123	580
 Iso Box-F 200 G4/carbon	200	123	580

 Iso Box-F 200 G4/F8	200	123	580
 Iso Box-F 200 G4/F8/Carbon	200	123	580
 Iso Box-F 200 G4/H13	200	123	580
 Iso Box-F 200 G4/H13/Carbon	200	123	580
 Iso Box-F 100 G4 V2	100	42	190
 Iso Box-F 100 G4/Carbon V2	100	42	190
 Iso Box-F 100 G4/F8 V2	100	41	175
 Iso Box-F 100 G4/F8/Carbon V2	100	41	175
 Iso Box-F 100 G4/H13 V2	100	41	160
 Iso Box-F 100 G4/H13/Carbon V2	100	41	160
 Iso Box-F 150 G4 V2	150	117	430
 Iso Box-F 150 G4/Carbon V2	150	117	430
 Iso Box-F 150 G4/F8 V2	150	115	390

 Iso Box-F 150 G4/F8/Carbon V2	150	115	390
 Iso Box-F 150 G4/H13 V2	150	114	355
 Iso Box-F 150 G4/H13/Carbon V2	150	114	355
 Iso Box-F 150 G4 L V2	150	52	340
 Iso Box-F 150 G4/Carbon L V2	150	52	340
 Iso Box-F 150 G4/F8 L V2	150	50	310
 Iso Box-F 150 G4/F8/Carbon L V2	150	50	310
 Iso Box-F 150 G4/H13 L V2	150	48	285
 Iso Box-F 150 G4/H13/Carbon L V2	150	48	285
 Iso Box-F 200 G4 V2	200	123	630
 Iso Box-F 200 G4/Carbon V2	200	123	630
 Iso Box-F 200 G4/F8 V2	200	121	590
 Iso Box-F 200 G4/F8/Carbon V2	200	121	590

 Iso Box-F 200 G4/H13 V2	200	119	525
 Iso Box-F 200 G4/H13/Carbon V2	200	119	525