

Line

Extract fans

- Casing material: Plastic
- Humidity sensor

Lineup	Connected air duct size, mm	Rated power, W	Maximum airflow, m³/h	Sound pressure level LpA at 3 m, dB(A)	Pull cord	Humidity sensor	Timer	Number of speeds
Line 100	100	14	95	34	✗	✗	✗	1
Line 100 S	100	14	95	34	✓	✗	✗	1
Line 100 T	100	14	95	34	✗	✗	Turn off timer	1
Line 100 TR	100	14	95	34	✗	✗	Turn off timer, Turn on timer	1
Line 100 ST	100	14	95	34	✓	✗	Turn off timer, Turn on timer	1
Line 100 H	100	14	95	34	✗	✓	Turn off timer, Turn on timer	1

 Line 120 SH	120	17	174	36	✔	✔	Turn off timer, Turn on timer	1
 Line 100 SH	100	14	95	34	✔	✔	Turn off timer, Turn on timer	1
 Line 120 H	120	17	174	36	✖	✔	Turn off timer, Turn on timer	1
 Line 120 ST	120	17	174	36	✔	✖	Turn off timer, Turn on timer	1
 Line 120 TR	120	17	174	36	✖	✖	Turn off timer, Turn on timer	1
 Line 120 T	120	17	174	36	✖	✖	Turn off timer	1
 Line 120 S	120	17	174	36	✔	✖	✖	1
 Line 120	120	17	174	36	✖	✖	✖	1
 Line 125	125	16	180	35	✖	✖	✖	1
 Line 125 S	125	16	180	35	✔	✖	✖	1
 Line 125 T	125	16	180	35	✖	✖	Turn off timer	1
 Line 125 TR	125	16	180	35	✖	✖	Turn off timer, Turn on timer	1
 Line 125 ST	125	16	180	35	✔	✖	Turn off timer, Turn on timer	1

 Line 125 H	125	16	180	35	✗	✓	Turn off timer, Turn on timer	1
 Line 125 SH	125	16	180	35	✓	✓	Turn off timer, Turn on timer	1
 Line 150	150	24	292	38	✗	✗	✗	1
 Line 150 S	150	24	292	38	✓	✗	✗	1
 Line 150 T	150	24	292	38	✗	✗	Turn off timer	1
 Line 150 TR	150	24	292	38	✗	✗	Turn off timer, Turn on timer	1
 Line 150 ST	150	24	292	38	✓	✗	Turn off timer, Turn on timer	1
 Line 150 H	150	24	292	38	✗	✓	Turn off timer, Turn on timer	1
 Line 150 SH	150	24	292	38	✓	✓	Turn off timer, Turn on timer	1