








Reneo-Fit D

Heat and energy recovery air handling units



- Heat exchanger type: Counter flow
- Sound insulation
- Motor type: EC
- Bypass: Manual
- Reheater: Optional
- Preheater: Optional
- BMS protocol: ModBus
- Control: Wired control panel
- Casing material: EPP
- Humidity sensor: Optional
- Enthalpy heat exchanger

Lineup	Connected air duct size, mm	Rated power, W	Maximum airflow, m ³ /h	Control system	Reheater	Preheater	BMS protocol
 Reneo-Fit D 150 S21	160/125	96	229	S21	Optional	Optional	ModBus
 Reneo-Fit D 150 S14	160/125	96	229	S14			
 Reneo-Fit D 150-E S21	160/125	96	229	S21	Optional	Optional	ModBus
 Reneo-Fit D 150-E S14	160/125	96	229	S14			
 Reneo-Fit D 200 S21	160/125	135	279	S21	Optional	Optional	ModBus
 Reneo-Fit D 200 S14	160/125	135	279	S14			
 Reneo-Fit D 200-E S21	160/125	135	279	S21	Optional	Optional	ModBus

 Reneo-Fit D 200-E S14	160/125	135	279	S14			
---	---------	-----	-----	-----	--	--	--