











Reneo S 210 / 270

Heat and energy recovery air handling units

- Heat exchanger type: Counter flow
- Sound insulation
- Motor type: EC
- Bypass: Manual
- Reheater: Optional
- Preheater: Built-in
- BMS protocol: ModBus
- Control: Wired control panel
- Casing material: EPP
- Humidity sensor: Optional
- Enthalpy heat exchanger

Lineup	Connected air duct size, mm	Rated power, W	Maximum airflow, m ³ /h	Service side	Control system	Reheater	Preheater	BMS protocol
 Reneo S 210 R S21	125	114	255	Right	S21	Optional	Optional	ModBus
 Reneo S 210 L S21	125	114	255	Left	S21	Optional	Optional	ModBus
 Reneo S 210-E R S21	125	114	255	Right	S21	Optional	Optional	ModBus
 Reneo S 210-E L S21	125	114	255	Left	S21	Optional	Optional	ModBus
 Reneo SE 210 R S21	125	114	255	Right	S21	Optional	Built-in	ModBus
 Reneo SE 210 L S21	125	114	255	Left	S21	Optional	Built-in	ModBus
 Reneo SE 210-E R S21	125	114	255	Right	S21	Optional	Built-in	ModBus

	Reneo SE 210-E L S21	125	114	255	Left	S21	Optional	Built-in	ModBus
	Reneo S 270 R S21	125	176	304	Right	S21	Optional	Optional	ModBus
	Reneo S 270 L S21	125	176	304	Left	S21	Optional	Optional	ModBus
	Reneo S 270-E R S21	125	176	304	Right	S21	Optional	Optional	ModBus
	Reneo S 270-E L S21	125	176	304	Left	S21	Optional	Optional	ModBus
	Reneo SE 270 R S21	125	176	304	Right	S21	Optional	Built-in	ModBus
	Reneo SE 270 L S21	125	176	304	Left	S21	Optional	Built-in	ModBus
	Reneo SE 270-E R S21	125	176	304	Right	S21	Optional	Built-in	ModBus
	Reneo SE 270-E L S21	125	176	304	Left	S21	Optional	Built-in	ModBus
	Reneo S 210 R S14	125	114	255	Right	S14			
	Reneo S 210 L S14	125	114	255	Left	S14			
	Reneo S 210-E R S14	125	114	255	Right	S14			
	Reneo S 210-E L S14	125	114	255	Left	S14			

	Reneo S 270 R S14	125	176	304	Right	S14			
	Reneo S 270 L S14	125	176	304	Left	S14			
	Reneo S 270-E R S14	125	176	304	Right	S14			
	Reneo S 270-E L S14	125	176	304	Left	S14			