

Slim

Extract fans

- Casing material: Plastic
- Humidity sensor

Lineup	Connected air duct size, mm	Rated power, W	Maximum airflow, m³/h	Sound pressure level LpA at 3 m, dB(A)	Pull cord	Humidity sensor	Timer	Number of speeds
Slim 100	100	14	105	33	✗	✗	✗	1
Slim 100 S	100	14	105	33	✓	✗	✗	1
Slim 100 T	100	14	105	33	✗	✗	Turn off timer	1
Slim 100 ST	100	14	105	33	✓	✗	Turn off timer	1
Slim 100 H	100	14	105	33	✗	✓	Turn off timer	1
Slim 100 SH	100	14	105	33	✓	✓	Turn off timer	1

 Slim 120	120	17	184	35	✗	✗	✗	1
 Slim 120 SH	120	17	184	35	✓	✓	Turn off timer	1
 Slim 120 H	120	17	184	35	✗	✓	Turn off timer	1
 Slim 120 ST	120	17	184	35	✓	✗	Turn off timer	1
 Slim 120 T	120	17	184	35	✗	✗	Turn off timer	1
 Slim 120 S	120	17	184	35	✓	✗	✗	1
 Slim 125	125	16	190	34	✗	✗	✗	1
 Slim 125 S	125	16	190	34	✓	✗	✗	1
 Slim 125 T	125	16	190	34	✗	✗	Turn off timer	1
 Slim 125 ST	125	16	190	34	✓	✗	Turn off timer	1
 Slim 125 H	125	16	190	34	✗	✓	Turn off timer	1
 Slim 125 SH	125	16	190	34	✓	✓	Turn off timer	1
 Slim 150	150	24	305	37	✗	✗	✗	1

 Slim 150 S	150	24	305	37	✔	✖	✖	1
 Slim 150 T	150	24	305	37	✖	✖	Turn off timer	1
 Slim 150 ST	150	24	305	37	✔	✖	Turn off timer	1
 Slim 150 H	150	24	305	37	✖	✔	Turn off timer	1
 Slim 150 SH	150	24	305	37	✔	✔	Turn off timer	1